

CACCIATORI

Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia



Tel +39 0322 58588 – Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it



- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.



CACCIATORI

Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 – Fax +39 0322 58588


e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it



- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.

Polishing and grinding machines – Rotary tables – Robot stations buffs and components for polishing




A

**Test benches
Assembly lines**



B

**Hydraulic
test
benches**



C



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, May 2021

Dear Sirs,

We are glad to submit you our documentation. They are several catalogues, which show the items manufactured by the respective factories.

For those who do not know us, we must present ourselves. Since 1975 we are charged with these business, managed by the family: the father (Francesco) and the children (Ferdinando and Ilaria).

To complete the presentation:

1. All the factories are only specialized in the sole manufacturing of the items that are represented in their catalogue.
2. The sales are direct from every factory. Each firm will invoice its own sales. (It is impossible to group in an only invoice items manufactured by two or more firms).
3. Our duties consist in co-ordinate the commercial activity of these factories. These manufacturers are of middle-little dimensions (with some exception).

Our co-operation offers some advantages: an only interlocutor for several products and firms; an important point of reference on the spot specialized in the production; a co-operation every time and for everything you need.

On your demand, we are able to send you some additional information, some offers and samples.

About some offers, we beg you to indicate us: items, denominations, catalogues, pages and quantities.

Besides, we are *glad to present you an exemplification of the machines* that you could be interesting for faucets' machining and finishing. The complete documentation is available on your request.

On your demand, *if you indicate us your specific request about the machines you are interested*, we will submit you our best proposal that is more suitable to your requirements.

We can assure you that all these suppliers of machines are well known and their customers are all over the world.

We are at your disposal for further information and we give you our best regards.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, Mai 2021

Messieurs,

Nous avons le plaisir de vous envoyer notre documentation. Il s'agit des plusieurs catalogues qui présentent les produits fabriqués par les usines respectives.

Pour ceux qui nous ne connaissent pas, nous avons le devoir de nous présenter. Depuis 1975, nous sommes chargés de ces affaires, gérées par la famille : le père (Francesco) et les enfants (Ferdinando et Ilaria).

Et pour compléter la présentation, nous vous précisons que :

1. chaque usine est uniquement spécialisée dans la seule fabrication des articles insérés dans son catalogue ;
2. les ventes sont directes par chaque usine. Chaque usine facturera ses ventes. (Il n'est pas possible de grouper dans une seule facture des produits de deux ou plusieurs fabricants) ;
3. nos fonctions consistent à coordonner l'activité commerciale de ces usines. Les usines ont des dimensions moyennes-petites (avec des exceptions).

Notre collaboration présente beaucoup d'avantages : un seul interlocuteur pour plusieurs produits et usines ; un important appui au site spécialisé dans la fabrication et la coopération chaque fois qu'il le faut !

Sur votre demande nous sommes en mesure de vous envoyer tous renseignements complémentaires, des offres et des échantillons.

Pour ces offres, nous vous prions de nous spécifier : articles, dénominations, catalogues, pages et quantités.

En plus, nous avons le plaisir de vous soumettre une exemplification des machines auxquelles vous pourriez être intéressés pour l'usinage et la finition des robinets. La documentation complète est disponible sur votre demande


Si vous nous indiquez votre particulier demande concernant les machines auxquelles vous êtes intéressés, nous vous enverrons notre meilleure proposition qui sera plus correspondant à votre requête.

Nous vous assurons que toutes ces usines, fabricantes des machines, sont bien connues et que leurs clients sont dans le monde entier.

Nous restons à votre disposition pour tous renseignements complémentaires et nous vous prions de trouver ici, Messieurs, l'expression de nos sentiments les meilleurs.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)



Catalogue A

**Polishing and grinding
machines**

Rotary tables

Robotic stations

**Bufs and components for
polishing**

Manual machines



Art. AGER S97

Big polishing machine with
2 independent big wheels

Available with dust extractor



Art. AGER MEC 2

Grinding machine with
2 independent working
stations




Manual machines



Art. MP300

Flat grinding machine

Available with dust extractor



Art. MPO600

Flat orbital grinding machine




Manual machines



Orbital grinding machine



Automatic machines




Rotary table machine
For polishing or grinding




Flange polishing
machine

Automatic machines


Polishing rotary table




Automatic machines





Pipe polishing machine





Robotic machines



Robotic island
for polishing and
grinding station



Station equipped with 2 robots for grinding working together or independently



Bufs, wheels, discs, and compounds for coarse and fine polishing



samples of cotton buffs




samples of abrasive metallic (nytex)
sheets and discs




samples of stitched cotton or sisal buffs



samples of sisal buffs



samples of solid and liquid compound and samples of belts and abrasive wheels



Catalogue B

Test benches

Assembling lines




Test benches Assembling lines

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Semiautomatic bench
for micro leaking seal test

Different pieces holders:



For more information, please ask the complete catalogue

Catalogue B - page 1





Test benches Assembling lines

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Universal semiautomatic
bench for micro leaking
seal test

Universal pieces holders:



For more information, please ask the complete catalogue



Test benches Assembling lines

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Assembly bench for cartridge locking



For more information, please ask the complete catalogue




Test benches Assembling lines

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Cartridge assembly line



Semiautomatic assembling and micro leaking testing line for single lever mixer



For more information, please ask the complete catalogue

Catalogue B - page 4



Test benches Assembling lines

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Assembling bench to screw valves,
 housings and shower
 converting knobs

Traditional headwork assembly line



For more information, please ask the complete catalogue



Catalogue C

Hydraulic test benches




Hydraulic Test benches

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sanitary tap test bench




It is possible to test:

single taps, single lever mixers, thermostatic mixers, shower units and flexible hoses

Test performed:

Measurement of flow rate pressure and temperature; measurement of safety features; measurement of regulating features; automatic test to check the thermostats with 1 or 2 stations

Sanitary tap test bench



Complete version suitable to detect the hydraulic performance of the devices under test;

Hydraulic bench to perform laboratory test on sanitary taps;

Independent station for high pressure test: water hammer test and resistance to static pressure;

Handling device for fidelity and sensitivity tests;

KAW510+hot and cold water generator

Cartridges and mixers test bench



2 working stations;

Productivity: approx. 80 pieces per hour with the presence of one operator;

Automatic control pressure, minimum and maximum temperature, mixed, closed of cold and hot water and final restoration;

KAW510+external hot and cold water production unit



Hydraulic Test benches

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower and flexible shower pipe test bench




The bench performs tests to detect the hydraulic and thermal shock features on complete shower units, flexible hoses, shower columns, diverters and accessories.

Test performed:

flow rate test;
dynamic leak test;
resistance under pressure test;
static leak test;
test of diverters;
thermal shock test.

Life test units with one or more stations



Mechanical movement of single lever mixers;
Opening and closure of ceramic and traditional taps;
Operation of traditional and automatic diverters;
Rotation of shower mechanisms;
Rotation of revolving spouts;
Automatic shut off valves;
Thermal and mechanical shock.

Flexible tubes test bench



Hydraulic seal test with 100 bar maximum operating pressure;
Pulsing pressure test with hot and cold water, maximum frequency 1 HZ, pressure range: 0,2÷12 bar and 10 l/min flow rate at 12 bar;
Water hammer test, maximum frequency 2 hz, maximum 50 bar;
Hydraulic burst tests with cold water and 100 bar maximum pressure;
Special version available with maximum pressure up to 800 bar.

For more information, please ask the complete catalogue



Hydraulic Test benches

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Acoustic test bench



Noise tests performed in compliance with standard NF31-014 annex-C, test rig is designed according to ISO 3822 Standards;

Mobile trolley with test pipe incorporated and detection devices + pressure pump;

Measurement of noise by hydrophone + workstation integrated with dedicated software;

Hydraulic resistance kits available.


Shower column, shower head and body jets test bench



Cabinet for testing showers and shower columns;

Working tank for flow rate test an sanitary taps, single lever mixers and kitchen spays; 5 indipendent test stations; specific software for flow rate test with steps pressure increased and flow rate tests with linear increase of pressure and multi-trace graphs.

Flow rate test bench (200÷300 l/min)



Flow rate tests are carried out with cold re-circulating water with delta pressure measurements and calculation of the coefficient Kv and pressure loss;

Version availablewith different test ranges up to 1000 i/min;

Special version available on request.

For more information, please ask the complete catalogue