



CACCIATORI

Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 – Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.

Spouts



1

Stainless steel and nylon flexible hoses




2

Brass handles



3

ABS handles, components and shower heads + ABS plating



4

Die-casting



5

Machining for casting



6

Various



7

CACCIATORI



Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia


Tel +39 0322 58588 – Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.

Polishing and grinding machines – Rotary tables – Robot stations buffs and components for polishing




A

**Test benches
Assembly lines**



B

**Hydraulic
test benches**



C



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, June 2025

Dear Sirs,

We are glad to submit you our documentation. They are several catalogues, which show the items manufactured by the respective factories.

For those who do not know us, we must present ourselves. Since 1975 we are charged with these business, managed by the family: the father (Francesco) and the children (Ferdinando and Ilaria).

To complete the presentation:

1. All the factories are only specialized in the sole manufacturing of the items that are represented in their catalogue.
2. The sales are direct from every factory. Each firm will invoice its own sales. (It is impossible to group in an only invoice items manufactured by two or more firms).
3. Our duties consist in co-ordinate the commercial activity of these factories. These manufacturers are of middle-little dimensions (with some exception).

Our co-operation offers some advantages: an only interlocutor for several products and firms; an important point of reference on the spot specialized in the production; a co-operation every time and for everything you need.

On your demand, we are able to send you some additional information, some offers and samples.

About some offers, we beg you to indicate us: items, denominations, catalogues, pages and quantities.

Besides, we are *glad to present you an exemplification of the machines* that you could be interesting for faucets' machining and finishing. The complete documentation is available on your request.

On your demand, *if you indicate us your specific request about the machines you are interested*, we will submit you our best proposal that is more suitable to your requirements.

We can assure you that all these suppliers of machines are well known and their customers are all over the world.

We are at your disposal for further information and we give you our best regards.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, Juin 2021

Messieurs,

Nous avons le plaisir de vous envoyer notre documentation. Il s'agit des plusieurs catalogues qui présentent les produits fabriqués par les usines respectives.

Pour ceux qui nous ne connaissent pas, nous avons le devoir de nous présenter. Depuis 1975, nous sommes chargés de ces affaires, gérées par la famille : le père (Francesco) et les enfants (Ferdinando et Ilaria).

Et pour compléter la présentation, nous vous précisons que :

1. chaque usine est uniquement spécialisée dans la seule fabrication des articles insérés dans son catalogue ;
2. les ventes sont directes par chaque usine. Chaque usine facturera ses ventes. (Il n'est pas possible de grouper dans une seule facture des produits de deux ou plusieurs fabricants) ;
3. nos fonctions consistent à coordonner l'activité commerciale de ces usines. Les usines ont des dimensions moyennes-petites (avec des exceptions).

Notre collaboration présente beaucoup d'avantages : un seul interlocuteur pour plusieurs produits et usines ; un important appui au site spécialisé dans la fabrication et la coopération chaque fois qu'il le faut !

Sur votre demande nous sommes en mesure de vous envoyer tous renseignements complémentaires, des offres et des échantillons.

Pour ces offres, nous vous prions de nous spécifier : articles, dénominations, catalogues, pages et quantités.

En plus, nous avons le plaisir de vous soumettre une exemplification des machines auxquelles vous pourriez être intéressés pour l'usinage et la finition des robinets. La documentation complète est disponible sur votre demande

Si vous nous indiquez votre particulier demande concernant les machines auxquelles vous êtes intéressés, nous vous enverrons notre meilleure proposition qui sera plus correspondant à votre requête.

Nous vous assurons que toutes ces usines, fabricantes des machines, sont bien connues et que leurs clients sont dans le monde entier.

Nous restons à votre disposition pour tous renseignements complémentaires et nous vous prions de trouver ici, Messieurs, l'expression de nos sentiments les meilleurs.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)




Catalogue 1

Spouts



Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Spouts

Art. CA01

“S” spout Ø 18, ¾” universal joint


CA01.10	CA01.15	CA01.20	CA01.25	CA01.30	CA01.35	CA01.40
A=100	A=150	A=200	A=250	A=300	A=350	A=400



Art. CA02

“U” spout Ø 18, ¾” universal joint

CA02.15	CA02.20	CA02.25	CA02.30	CA02.35	CA02.40
A=150	A=200	A=250	A=300	A=350	A=400




Art. CA03.01

Short “J” Spout Ø 18, universal joint,
A=150 mm



Art. CA04.01

Long “J” Spout Ø 18, universal joint,
A=200 mm






Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Spouts




Art. CA05.01

Big "P" spout Ø 18, universal joint,
A=200 mm




Art. CA07.01

Telescopic and adjustable spout,
universal or 3 grooves joint,
A= 220-340 mm



Art. CA08.01

Spout with adjustable head,
3/4" universal joint



Art. CA09

"S" spout Ø 14, 1/2" universal joint


CA09.15	CA09.20	CA09.25	CA09.30
A=150	A=200	A=250	A=300



Spouts


Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Art. CA10.01

“L” spout Ø 14, ½” universal joint



Art. CA10.02

Short “J” spout Ø 14, ½” universal joint




Art. CA. 10.03

Long “J” spout Ø 14, ½” universal joint




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Spouts




Art. BP01.00

Heavy upright with similar cast
spout 200 mm



Art. BP02.00

Heavy upright with similar cast
spout 150 mm



Art. BP03

Heavy upright with big "P" spout,
having pipe Ø 22 or Ø 25

BP03.00	BP03.01
Ø 22	Ø 25



Art. BP04.00


Heavy upright with washbasin spout Ø 25



Spouts

Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Art. BP05


Light upright with "J" spout

BP05.01	BP05.02
A=125	A=155
B=185	B=230
C=150	C=200



Art. BP06.01

Cheap upright with "J" spout Ø 14



Art. CA11

"S" complete spout Ø 18 with 3 grooves

CA11.10	CA11.15	CA11.20	CA11.25	CA11.30	CA11.35	CA11.40
A=100	A=150	A=200	A=250	A=300	A=350	A=400



Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it





Spouts

Art. CA12


“U” complete spout Ø 18 with 3 grooves

CA12.15	CA12.20	CA12.25	CA12.30	CA12.35	CA12.40
A=150	A=200	A=250	A=300	A=350	A=400




Art. CA13.00

Short “J” complete spout Ø 18
with 3 grooves



Art. CA14.00

Long “J” spout Ø 18 with 3 grooves



Art. CA15

2 kinks “J” spout Ø 18 with 3 grooves

CA15.20	CA15.25	CA15.30
A=170	A=250	A=300
B=200	B=250	B=250
C=100	C=145	C=165




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Spouts




Art. CA16.00

Small "P" complete spout Ø 18 suitable for washbasin



Art. CA17.00

Spout Ø 18 suitable for bidet



Art. CA18.00

Big "P" spout complete with 3 grooves



Art. CA06.00

"L" spout Ø 18 complete with 3 grooves



Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588

email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Spouts

Art. CA19

Wall mixer spout complete

CA19.13	CA19.15	CA19.20	CA19.25	CA19.30	CA19.35	CA19.40
A=130	A=150	A=200	A=250	A=300	A=350	A=400

Art. CA20

Oval "S" spout complete

CA20.15	CA20.20	CA20.25	CA20.30
A=150	A=200	A=250	A=300

Art. CA21

"L" similar cast spout complete

CA21.16	CA21.20
A=160	A=200

Art. CA22.00

Long similar cast spout complete
A=200 mm



Spouts


Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Art. CA23.00

Short similar cast spout complete
A=140 mm



Art. CA24

Old style spout complete

CA24.01	CA24.02	CA24.03
Bidet	basin	sink
A=135	A=185	A=235
B=50	B=180	B=180



Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Jet- Brakers



Art. MI01.01

Chromium-plated plastic jet-breaker,
threading 22 x 1F



Art. MI02.01

Brass jet-breaker, threading 22 x 1F



Art. MI04.02

Antitheft jet-breaker 24 x 1M



Art. MI04.01

Antitheft jet-breaker 22x1



Art. MI05.01

Brass aerator

MI05.01	MI05.02
Threading 22x1F	Threading 24x1M




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Special spouts

It is possible producing different kind of spout on your demand as per your requirement. We are going to show you some examples.





Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Special spouts

It is possible producing different kind of spout on your demand as per your requirement. We are going to show you some examples.






Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Special spouts

It is possible producing different kind of spout on your demand as per your requirement. We are going to show you some examples.





Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Special spouts

It is possible producing different kind of spout on your demand as per your requirement. We are going to show you some examples.






Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Special finishing

We are going to show you some examples of finishing available






Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiano (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column



Art. BR01

Shower arm Ø 16 x 90°


BR01.20	BR01.25	BR01.30	BR01.40
B=200 mm	B=250 mm	B=300 mm	B=400 mm



Art. BR02

Shower arm Ø 16 x 45°


BR02.14	BR02.20
B=140 mm	B=200 mm



Art. BR03

Shower arm Ø 20 x 90°

BR03.20	BR03.25	BR03.30	BR03.40
B=200 mm	B=250 mm	B=300 mm	B=400 mm



Art. BR04

American shower arm
Ø 20 x 45°

BR04.14	BR04.20
B=140 mm	B=200 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column



Art. BR04.02

Ceiling shower arm Ø 20


BR04.02.20	BR04.02.30	BR04.02.40
B=200 mm	B=300 mm	B=400 mm



Art. BR05


Fixed shower arm Ø 18 1/2" x 1/2"

BR05.20	BR05.25	BR05.30	BR05.40
B=200 mm	B=250 mm	B=300 mm	B=400 mm



Art. BR06.01


Short shower arm Ø 15 x 45°



Art. BR07

Spherical shower arm

BR07.18x20	BR07.18x25	BR07.18x30	BR07.18x40
B=200 mm	B=250 mm	B=300 mm	B=400 mm



Art. BR07.CS

Spherical shower arm complete with shower head Ø 18x200/250/300/400 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column



Art. BR08

English built in type shower arm


BR08.30	BR08.35	BR08.40	BR08.45	BR08.50
B=300 mm	B=350 mm	B=400 mm	B=450 mm	B=500 mm



Art. BR09


English type shower arm with 3 holes connection 1/2" or 3/4"

BR09.30	BR09.35	BR09.40	BR09.45	BR09.50
B=300 mm	B=350 mm	B=400 mm	B=450 mm	B=500 mm



Art. BR08.01

Old Style heavy shower arm




Art. BR11.01

Old Style shower arm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column




Art. BR10.01

Cast conical shower arm



Art. BR12.01


“Vesuvio” Model cast shower arm



Art. BR13

Right shower arm Ø 24

BR13.30	BR13.35
A=300 mm	A=350 mm



Art. BR14

Straight square shower arm 22x22

BR14.30	BR14.35
A=300 mm	A=350 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column



Art. BR15

Curved square shower arm 22x22


BR15.30	BR15.35
A=300 mm	A=350 mm



Art. BR16

Rectangular shower arm from pipe 40x15

BR16.30	BR16.35
A=300 mm	A=350 mm



Art. BR14.RSQ

Rose for square shower arm 22x22



Art. BR22.GNC

ABS hook for column Ø 18



Art. BR23.GNC

Hook for column Ø 16



Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column


Art. BR22

Shower column Ø 18



Art. BR23

Shower column Ø 16





Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column

Art. BR24


"P" shower column Ø 18



Art. BR23

Luxury telescopic shower column

BR25.01.P	BR25.01.L
"P" model	"L" model





Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower arm, pipe for shower column and accessories for shower arms and column

Art. BR25.02

Luxury fixed shower column

BR25.02.P	BR25.02.L
"P" model	"L" model





Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column


Art. COL.002A

Telescopic shower column
with orientable and adjustable arm
sliding shower holder,
diverter with 3/4 " connection






Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column

Art. COL.003A

Telescopic shower column
with orientable and adjustable arm
sliding shower holder, diverter,
½ “ built-in connection





Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column

Art. COL.006B

Telescopic shower column
with orientable and adjustable arm
sliding shower holder,
diverter with $\frac{3}{4}$ " connection





Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower arm, pipe for shower column and accessories for shower arms and column

Art. COL.006B

Telescopic shower column
with orientable and adjustable arm
sliding shower holder, diverter,
1/2" built-in connection






Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower heads



Art. BR19


Shower head Ø 160 made by brass sheet



Art. BR20

Stainless steel shower head Ø 80/90

BR20.01	BR20.02
Ø 80	Ø 90



Art. BR21.01

“Bell” stainless steel shower head Ø 85




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower heads



Art. MI12.01

American shower head with adjustable joint



Art. MI13.01

Shower head made by brass sheet with adjustable joint



Art. MI14.01

Conical brass shower head with adjustable joint




Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Roses and accessories




Art. MI06
WC Rose Ø 26/30/32




Art. MI06.01
1/2" brass rose




Art. MI06.02
Steel rose with 1/2" false threading



Art. MI06.03
Heavy brass rose with 1/2" threading



Art. MI07
Conical rose Ø 26/30/32/40



Art. MI07.01
Round under wash basin rose




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Roses and accessories




Art. MI08

Rose with oval bore




Art. MI09

Low type rose with oval bore



Art. MI09.02

Big rose



Art. MI15

Complete nipple for single-hole mixer

MI15.01	MI15.02
1/2" x 3/8"	1/2" x 1/2"



Art. MI16

1/2" or 3/8" nut having hole 10-12-14

MI16.01	MI16.02
1/2"	3/8"



Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Roses and accessories



Art. MI17

1" or 1" 1/4 nut

MI17.01	MI17.02
1"	1" 1/4
F. 26	F. 30-32



Art. MI18.01

1/2" hole-cover plug Ø 67 mm



Art. MI50

Accessories for spouts

Art A	Art B	Art C	Art D
MI50.01	MI50.02	MI50.03	MI50.04
Brass cap 3/4" F.18,5	Hostaform	O- Ring 10	Plastic cap 18 x 3/4"




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Copper pipes and fittings



Art. CN08

Copper pipe with welded plate


B = mm 300 - 350 - 400 - 500



Art. CN09

Copper pipe with simple stamped plate


B = mm 300 - 350 - 400 - 500



Art. CN10

Complete copper pipe with simple plate


B = mm 300 - 350 - 400 - 500



Art. CN11

Pipe for single lever mixer 10x1

B = mm 300 - 350 - 400



Art. CN11.PRL

Extension for pipe for single lever mixer




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Copper pipes and fittings



Art. CR04

Complete bracket $\varnothing$ 12 or $\varnothing$ 14
with nipple and rose

CR04.12	CR04.14
A= $\varnothing$ 12	A= $\varnothing$ 14



Art. CR05


Bracket $\varnothing$ 12 or $\varnothing$ 14

CR05.12	CR05.14
A= $\varnothing$ 12	A= $\varnothing$ 14
BxC=150x250	BxC=200x300
BxC=200x300	BxC=150x250



Art. CR06

Accessories for brackets



Art. TU07

Chromium-plated
copper pipe
100/1500 mm

TU07.10x100	TU07.10x150	TU07.12x100	TU07.12x150	TU07.14x100	TU07.14x150
A = $\varnothing$ 10	A = $\varnothing$ 10	A = $\varnothing$ 12	A = $\varnothing$ 12	A = $\varnothing$ 14	A = $\varnothing$ 14
B=1000 mm	B=1500 mm	B=1000 mm	B=1500 mm	B=1000 mm	B=1500 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Copper pipes and fittings



Art. TU01

L pipe

A = Ø 25 - 26 - 28 - 30 - 32


B = on demand

C = on demand

Art. TU02

Pipe for rapid flow valve $\frac{3}{4}$ " – 1"


TU02.01	TU02.01
A=Ø 25	A=Ø 30



Art. TU03

Pipe for concealed rapid flow valve

TU03	
Ø 35	small rim
Ø 37	big rim







Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it





Copper pipes and fittings



Art. TU04

Low pipe for rapid
flow valve $\frac{3}{4}$ " or 1"

TU.04.01	TU.04.02
A=Ø 25	A=Ø 30



Art. TU08

Pipe for tank toilet flush

TU.08.01	TU.08.02
A=Ø 32	A=Ø 40



Art. TU06


Copper coil pipe
Length 5 m

TU06.10	TU06.12	TU06.14
Ø 10 mm	Ø 12 mm	Ø 14 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Sleeves, elbows and fittings



Art. CN01

Smooth sleeve


A= Ø 26 - 30 - 32 - 40
B = 200 - 250 - 300 - 1.000 mm



Art. CN02

Rimmed sleeve

A= Ø 26 - 30 - 32 - 40
B = 200 - 250 - 300 mm




Art. CN03

Spun sleeve

1"x1 1/4" - 1 1/4"x1 1/2"


A=Ø 26	C=1"1/4
A=Ø 32	C=1"1/2
B = 75 - 120 - 200 - 250 - 300 mm	



Art. CN04

Knurled sleeve

A= Ø 26 - 30 - 32
B = 250 - 300 mm



Art. CN05

S eccentric pipe

Ø 26/30/32

A=Ø 26	C=26 mm
A=Ø 30-32	C=35 mm




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Sleeves, elbows and fittings



Art. CN06

Outlet pipe

A= Ø 26 - 30 - 32
B = 200 - 250 - 300 mm



Art. CN07


Drain sleeve for washing machine

A = Ø 26 - 30 - 32



Art. CN07CRV

Chromium-plated PVC
Drain pipe for washing machine



Art. CR01

Chromium-plated 45°
elbow

BxC = 120 x 140
BxC = 140 x 160




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Sleeves, elbows and fittings



Art. CR02

90° standard elbow


A = Ø 25 - 26 - 30 - 32
BxC = 150 x 250
BxC = 200 x 300



Art. CR03

Sharp radius 90° elbow

A = Ø 25 - 26 - 30 - 32
BxC = 150 x 250
BxC = 200 x 300



Art. TU05

Extension for pipe

TU05.26	TU05.30	TU05.32
Ø 26	Ø 30	Ø 32




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sleeves, elbows and fittings




Art. MI03

Adaptor

Ø 40/32 and Ø 32/26

MI03.01	MI03.02
A = Ø 26	A = Ø 32
B = 70 mm	B = 82 mm
C = Ø 32	C = Ø 40




Art. MI18

Pipe connection sleeve

Ø 26/30/32

MI18.26	MI18.30	MI18.32
Ø 26	Ø 30	Ø 32



Art. MI19

Adaptor

Ø 40/32 and Ø 32/26

MI19.01	MI19.02
A = Ø 26	A = Ø 32
B = Ø 32	B = Ø 40




Spouts

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Siphons



Art. SF01

Bottle trap


SF01.1	SF01.2
1"	1"1/4



Art. SF02

Siphon with back plug

SF02.1	SF02.2
1"	1"1/4



Art. SF03

Siphon with lateral plug

SF03.1	SF03.2
1"	1"1/4




Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Spouts



Siphons



Art. SF04
Minimal siphon 1"1/4



Art. SF05
1" 1/4 P trap




Art. SF06
1" 1/4 jointed pipe siphon
for bidet



Spouts

Siphons

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Art. SF07

1" jointed siphon made by
a fixed pipe



Spouts


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Towel warmers

A new range of products are the towel warmers
We are going to show you some examples of what we can do





Catalogue 2

**Stainless steel
and Nylon
Flexible hoses**



Stainless steel
and nylon
flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Certifications

Silicon Liner conforms to:

Italy



UK



enmark

Denmark



Sweden

VA APPROVAL



France



Italian Voluntary mark



Germany



Switzerland



The Netherland



USA




On request, it is possible supplying

**Lead-free brass
Brass fittings**







Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@feitaliaonline.it










Available diameters

Flexible hoses



Antivibration hoses





Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Products

Female (G= inserted
gasket on request)



Male



Extended Male
with Teflon ring



Revolving
Male 15x1



Revolving Male



Extended revolving
Male



Male with OR 8x1
18 mm 10x1, 12x1
on request



Male with OR
10x1 45-75 mm
10x1, 12x1
on request



Straight connector
LR Ø 10/9,7
Ø 8 and Ø 12 on request



Compression Male
connect Ø 10 nut and
ring 3 pieces, Ø 8 and
Ø 12 on request



Male revolving
elbow RO. 90°

Patented



Female revolving
elbow R.O. 90°

Patented



Revolving conical ½"
Female H 40

Patented



Twist: revolving and
jointed conical ½"
Female

Patented



Aqua-stop: fitting with
Non-return function



Flow stabilizer:

Fitting with
function of
flow stabilizer

- 4 l/min
- 6 l/min
- 8 l/min
- 10 l/min



Quick connection Ø 10,
Ø12 and Ø 15 on request



Hemispherical fittings
¼", 1/8", 3/8" for coffee
machines



Knurled Female fitting




½" conical Female nut






**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



EPX Pluri cert



Latest generation flexible hoses made using ec-friendly materials,
Respecting the environment.

Excellent endurance and highest reliability guarantee by the new
internal liner.

Technical Data:

For hydro-sanitary use only

Operating use range: from 5° C to max 90° C

Max operating pressure 10 bar

10 years warranty

Different types of fittings

Diameter: DN6-DN8

Pluri-certified Liner






Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series



Technical data:
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 6
External Ø 10
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN6	 F 3/8"	 F 3/8"	200	X1 304.200
			250	X1 304.250
			300	X1 304.300
			350	X1 304.350
			400	X1 304.400
			450	X1 304.450
			500	X1.304.500
			600	X1 304.600
			800	X1 304.800
			1000	X1 304.1000
DN6	 F 3/8"	 F 1/2"	200	X1 301.200
			250	X1 301.250
			300	X1 301.300
			350	X1 301.350
			400	X1 301.400
			450	X1 301.450
			500	X1 301.500
			600	X1 301.600
			800	X1 301.800
			1000	X1.301.1000
DN6	 F 1/2"	 F 1/2"	200	X1 300.200
			250	X1 300.250
			300	X1 300.300
			350	X1 300.350
			400	X1 300.400
			450	X1 300.450
			500	X1 300.500
			600	X1 300.600
			800	X1 300.800
			1000	X1 300.1000
DN6	 M 3/8"	 F 3/8"	200	X1 313.200
			250	X1 313.250
			300	X1 313.300
			350	X1 313.350
			400	X1 313.400
			450	X1 313.450
			500	X1 313.500
			600	X1.313.600
			800	X1 313.800
			1000	X1 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection


Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	 M 3/8"	 F 1/2"	200	X1 314.200
			250	X1 314.250
			300	X1 314.300
			350	X1 314.350
			400	X1 314.400
			450	X1 314.450
			500	X1.314.500
			600	X1 314.600
			800	X1 314.800
			1000	X1 314.1000
DN6	 Elbow F 3/8"	 F 3/8"	200	X1 311.200
			250	X1 311.250
			300	X1 311.300
			350	X1 311.350
			400	X1 311.400
			450	X1 311.450
			500	X1 311.500
			600	X1 311.600
			800	X1 311.800
			1000	X1.311.1000
DN6	 Elbow F 3/8"	 F 1/2"	200	X1 302.200
			250	X1 302.250
			300	X1 302.300
			350	X1 302.350
			400	X1 302.400
			450	X1 302.450
			500	X1 302.500
			600	X1 302.600
			800	X1 302.800
			1000	X1 302.1000
DN6	 Elbow F 3/8"	 M 1/2"	200	X1 357.200
			250	X1 357.250
			300	X1 357.300
			350	X1 357.350
			400	X1 357.400
			450	X1 357.450
			500	X1 357.500
			600	X1.357.600
			800	X1 357.800
			1000	X1 357.1000
DN6	 Elbow F 1/2"	 F 3/8"	200	X1 416.200
			250	X1 416.250
			300	X1 416.300
			350	X1 416.350
			400	X1 416.400
			450	X1 416.450
			500	X1 416.500
			600	X1 416.600
			800	X1 416.800
			1000	X1 416.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	Elbow F 1/2"	F 1/2"	200	X1 329.200
			250	X1 329.250
			300	X1 329.300
			350	X1 329.350
			400	X1 329.400
			450	X1 329.450
			500	X1.329.500
			600	X1 329.600
			800	X1 329.800
			1000	X1 329.1000
DN6	Elbow F 1/2"	M 1/2"	200	X1 316.200
			250	X1 316.250
			300	X1 316.300
			350	X1 316.350
			400	X1 316.400
			450	X1 316.450
			500	X1 316.500
			600	X1 316.600
			800	X1 316.800
			1000	X1.316.1000
DN6	M 8x1 mm 18 (7A)	F 3/8"	200	X1 070.200
			250	X1 070.250
			300	X1 070.300
			350	X1 070.350
			400	X1 070.400
			450	X1 070.450
			500	X1 070.500
			600	X1 070.600
			800	X1 070.800
			1000	X1 070.1000
DN6	M 8x1 mm 18 (7A)	F 1/2"	200	X1 075.200
			250	X1 075.250
			300	X1 075.300
			350	X1 075.350
			400	X1 075.400
			450	X1 075.450
			500	X1 075.500
			600	X1.075.600
			800	X1 075.800
			1000	X1 075.1000
DN6	M 8x1 mm 18 (7A)	Straight connection LR Ø 10/9.7	200	X1 073.200
			250	X1 073.250
			300	X1 073.300
			350	X1 073.350
			400	X1 073.400
			450	X1 073.450
			500	X1 073.500
			600	X1 073.600
			800	X1 073.800
			1000	X1 073.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	M 8x1 mm 45 (7B) 	F 3/8" 	200	X1 090.200
			250	X1 090.250
			300	X1 090.300
			350	X1 090.350
			400	X1 090.400
			450	X1 090.450
			500	X1.090.500
			600	X1 090.600
			800	X1 090.800
			1000	X1 090.1000
DN6	M 8x1 mm 45 (7B) 	F 1/2" 	200	X1 096.200
			250	X1 096.250
			300	X1 096.300
			350	X1 096.350
			400	X1 096.400
			450	X1 096.450
			500	X1 096.500
			600	X1 096.600
			800	X1 096.800
			1000	X1.096.1000
DN6	M 8x1 mm 45 (7B) 	Straight connection LR Ø 10/9.7 	200	X1 098.200
			250	X1 098.250
			300	X1 098.300
			350	X1 098.350
			400	X1 098.400
			450	X1 098.450
			500	X1 098.500
			600	X1 098.600
			800	X1 098.800
			1000	X1 098.1000
DN6	Straight connection LR Ø 10/9.7 	F 3/8" 	200	X1 422.200
			250	X1 422.250
			300	X1 422.300
			350	X1 422.350
			400	X1 422.400
			450	X1 422.450
			500	X1 422.500
			600	X1.422.600
			800	X1 422.800
			1000	X1 422.1000
DN6	Straight connection LR Ø 10/9.7 	F 1/2" 	200	X1 348.200
			250	X1 348.250
			300	X1 348.300
			350	X1 348.350
			400	X1 348.400
			450	X1 348.450
			500	X1 348.500
			600	X1 348.600
			800	X1 348.800
			1000	X1 348.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X1 502.200
			250	X1 502.250
			300	X1 502.300
			350	X1 502.350
			400	X1 502.400
			450	X1 502.450
			500	X1.502.500
			600	X1 502.600
			800	X1 502.800
			1000	X1 502.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X1 399.200
			250	X1 399.250
			300	X1 399.300
			350	X1 399.350
			400	X1 399.400
			450	X1 399.450
			500	X1 399.500
			600	X1 399.600
			800	X1 399.800
			1000	X1.399.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X1 506.200
			250	X1 506.250
			300	X1 506.300
			350	X1 506.350
			400	X1 506.400
			450	X1 506.450
			500	X1 506.500
			600	X1 506.600
			800	X1 506.800
			1000	X1 506.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X1 505.200
			250	X1 505.250
			300	X1 505.300
			350	X1 505.350
			400	X1 505.400
			450	X1 505.450
			500	X1 505.500
			600	X1.505.600
			800	X1 505.800
			1000	X1 505.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Straight connection LR Ø 10/9.7 	200	X1 319.200
			250	X1 319.250
			300	X1 319.300
			350	X1 319.350
			400	X1 319.400
			450	X1 319.450
			500	X1 319.500
			600	X1 319.600
			800	X1 319.800
			1000	X1 319.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series



Technical data:

Operating temperature range:

From 5° C to max 90 ° C

Max operating pressure 10 bar

Internal liner made by EPDM rubber Ø 8

External Ø 12

AISI 304 stainless steel braiding

Minimum guarantee coating 95%

Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN8			200	X2 304.200
			250	X2 304.250
			300	X2 304.300
			350	X2 304.350
			400	X2 304.400
			450	X2 304.450
			500	X2.304.500
			600	X2 304.600
			800	X2 304.800
			1000	X2304.1000
DN8			200	X2 301.200
			250	X2 301.250
			300	X2 301.300
			350	X2 301.350
			400	X2 301.400
			450	X2 301.450
			500	X2 301.500
			600	X2 301.600
			800	X2 301.800
			1000	X2.301.1000
DN8			200	X2 300.200
			250	X2 300.250
			300	X2 300.300
			350	X2 300.350
			400	X2 300.400
			450	X2 300.450
			500	X2 300.500
			600	X2 300.600
			800	X2 300.800
			1000	X2 300.1000
DN8			200	X2 313.200
			250	X2 313.250
			300	X2 313.300
			350	X2 313.350
			400	X2 313.400
			450	X2 313.450
			500	X2 313.500
			600	X2.313.600
			800	X2 313.800
			1000	X2 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	 M 3/8"	 F 1/2"	200	X2 314.200
			250	X2 314.250
			300	X2 314.300
			350	X2 314.350
			400	X2 314.400
			450	X2 314.450
			500	X2.314.500
			600	X2 314.600
			800	X2 314.800
			1000	X2 314.1000
DN8	 M 1/2"	 F 3/8"	200	X2 312.200
			250	X2 312.250
			300	X2 312.300
			350	X2 312.350
			400	X2 312.400
			450	X2 312.450
			500	X2 312.500
			600	X2 312.600
			800	X2 312.800
			1000	X2.312.1000
DN8	 M 1/2"	 F 1/2"	200	X2 305.200
			250	X2 305.250
			300	X2 305.300
			400	X2 305.400
			450	X2 305.450
			500	X2 305.500
			600	X2 305.600
			800	X2 305.800
			1000	X2 305.1000
DN8	 Elbow F 3/8"	 F 3/8"	200	X2 311.200
			250	X2 311.250
			300	X2 311.300
			350	X2 311.350
			400	X2 311.400
			450	X2 311.450
			500	X2 311.500
			600	X2.311.600
			800	X2 311.800
			1000	X2 311.1000
DN8	 Elbow F 3/8"	 F 1/2"	200	X2 302.200
			250	X2 302.250
			300	X2 302.300
			350	X2 302.350
			400	X2 302.400
			450	X2 302.450
			500	X2 302.500
			600	X2 302.600
			800	X2 302.800
			1000	X2 302.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection


Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Elbow F 3/8" 	M 1/2" 	200	X2 357.200
			250	X2 357.250
			300	X2 357.300
			350	X2 357.350
			400	X2 357.400
			450	X2 357.450
			500	X2.357.500
			600	X2 357.600
			800	X2 357.800
			1000	X2 357.1000
DN8	Elbow F 1/2" 	F 3/8" 	200	X2 416.200
			250	X2 416.250
			300	X2 416.300
			350	X2 416.350
			400	X2 416.400
			450	X2 416.450
			500	X2 416.500
			600	X2 416.600
			800	X2 416.800
			1000	X2.416.1000
DN8	Elbow F 1/2" 	F 1/2 " 	200	X2 329.200
			250	X2 329.250
			300	X2 329.300
			350	X2 329.350
			400	X2 329.400
			450	X2 329.450
			500	X2 329.500
			600	X2 329.600
			800	X2 329.800
			1000	X2 329.1000
DN8	Elbow F 1/2" 	M 1/2" 	200	X2 316.200
			250	X2 316.250
			300	X2 316.300
			350	X2 316.350
			400	X2 316.400
			450	X2 316.450
			500	X2 316.500
			600	X2.316.600
			800	X2 316.800
			1000	X2 316.1000
DN8	M 10x1 mm 18 (6A) 	F 3/8" 	200	X2 010.200
			250	X2 010.250
			300	X2 010.300
			350	X2 010.350
			400	X2 010.400
			450	X2 010.450
			500	X2 010.500
			600	X2 010.600
			800	X2 010.800
			1000	X2 010.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	 M 10x1 mm 18 (6A)	 F 1/2"	200	X2 012.200
			250	X2 012.250
			300	X2 012.300
			350	X2 012.350
			400	X2 012.400
			450	X2 012.450
			500	X2.012.500
			600	X2 012.600
			800	X2 012.800
			1000	X2 012.1000
DN8	 M 10x1 mm 18 (6A)	 Straight connection LR Ø 10/9.7	200	X2 011.200
			250	X2 011.250
			300	X2 011.300
			350	X2 011.350
			400	X2 011.400
			450	X2 011.450
			500	X2 011.500
			600	X2 011.600
			800	X2 011.800
			1000	X2.011.1000
DN8	 M 10x1 mm 45 (6B)	 F 3/8"	200	X2 030.200
			250	X2 030.250
			300	X2 030.300
			350	X2 030.350
			400	X2 030.400
			450	X2 030.450
			500	X2 030.500
			600	X2 030.600
			800	X2 030.800
			1000	X2 030.1000
DN8	 M 10x1 mm 45 (6B)	 F 1/2"	200	X2 041.200
			250	X2 041.250
			300	X2 041.300
			350	X2 041.350
			400	X2 041.400
			450	X2 041.450
			500	X2 041.500
			600	X2.041.600
			800	X2 041.800
			1000	X2 041.1000
DN8	 M 10x1 mm 45 (6B)	 Straight connection LR Ø 10/9.7	200	X2 039.200
			250	X2 039.250
			300	X2 039.300
			350	X2 039.350
			400	X2 039.400
			450	X2 039.450
			500	X2 039.500
			600	X2 039.600
			800	X2 039.800
			1000	X2 039.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Straight connection LR Ø 10/9.7 	F 3/8" 	200	X2 422.200
			250	X2 422.250
			300	X2 422.300
			350	X2 422.350
			400	X2 422.400
			450	X2 422.450
			500	X2.422.500
			600	X2 422.600
			800	X2 422.800
			1000	X2 422.1000
DN8	Straight connection LR Ø 10/9.7 	F 1/2" 	200	X2 348.200
			250	X2 348.250
			300	X2 348.300
			350	X2 348.350
			400	X2 348.400
			450	X2 348.450
			500	X2 348.500
			600	X2 348.600
			800	X2 348.800
			1000	X2.348.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X2 502.200
			250	X2 502.250
			300	X2 502.300
			350	X2 502.350
			400	X2 502.400
			450	X2 502.450
			500	X2 502.500
			600	X2 502.600
			800	X2 502.800
			1000	X2 502.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X2 399.200
			250	X2 399.250
			300	X2 399.300
			350	X2 399.350
			400	X2 399.400
			450	X2 399.450
			500	X2 399.500
			600	X2.399.600
			800	X2 399.800
			1000	X2 399.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X2 506.200
			250	X2 506.250
			300	X2 506.300
			350	X2 506.350
			400	X2 506.400
			450	X2 506.450
			500	X2 506.500
			600	X2 506.600
			800	X2 506.800
			1000	X2 506.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@feitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X2 505.200
			250	X2 505.250
			300	X2 505.300
			350	X2 505.350
			400	X2 505.400
			450	X2 505.450
			500	X2.505 500
			600	X2 505.600
			800	X2 505.800
			1000	X2 505.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Straight connection LR Ø 10/9.7 	200	X2 319.200
			250	X2 319.250
			300	X2 319.300
			350	X2 319.350
			400	X2 319.400
			450	X2 319.450
			500	X2 319.500
			600	X2 319.600
			800	X2 319.800
			1000	X2.319.1000
DN8	M 3/8" revolving 	F 3/8" 	200	X2 382.200
			250	X2 382.250
			300	X2 382.300
			350	X2 382.350
			400	X2 382.400
			450	X2 382.450
			500	X2 382.500
			600	X2 382.600
			800	X2 382.800
			1000	X2 382.1000
DN8	M 3/8" revolving 	F 1/2" 	200	X2 406.200
			250	X2 406.250
			300	X2 406.300
			350	X2 406.350
			400	X2 406.400
			450	X2 406.450
			500	X2 406.500
			600	X2.406.600
			800	X2 406.800
			1000	X2 406.1000
DN8	M 1/2" revolving 	F 3/8" 	200	X2 383.200
			250	X2 383.250
			300	X2 383.300
			350	X2 383.350
			400	X2 383.400
			450	X2 383.450
			500	X2 383.500
			600	X2 383.600
			800	X2 383.800
			1000	X2 383.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	M 1/2" revolving 	F 1/2" 	200	X2 401.200
			250	X2 401.250
			300	X2 401.300
			350	X2 401.350
			400	X2 401.400
			450	X2 401.450
			500	X2.401.500
			600	X2 401.600
			800	X2 401.800
			1000	X2 401.1000
DN8	M 3/8" revolving 	M 3/8" inserted gasket 	200	X2 382G.200
			250	X2 382G.250
			300	X2 382G.300
			350	X2 382G.350
			400	X2 382G.400
			450	X2 382G.450
			500	X2 382G.500
			600	X2 382G.600
			800	X2 382G.800
			1000	X2.382G.1000
DN8	M 3/8" revolving 	F 1/2" inserted gasket 	200	X2 406G.200
			250	X2 406G.250
			300	X2 406G.300
			350	X2 406G.350
			400	X2 406G.400
			450	X2 406G.450
			500	X2 406G.500
			600	X2.406G.600
			800	X2 406G.800
			1000	X2 406G.1000
DN8	M 1/2" revolving 	F 3/8" inserted gasket 	200	X2 383G.200
			250	X2 383G.250
			300	X2 383G.300
			350	X2 383G.350
			400	X2 383G.400
			450	X2 383G.450
			500	X2 383G.500
			600	X2 383G.600
			800	X2 383G.800
			1000	X2 383G.1000
DN8	M 1/2" revolving 	F 1/2" inserted gasket 	200	X2 401G.200
			250	X2 401G.250
			300	X2 401G.300
			350	X2 401G.350
			400	X2 401G.400
			450	X2 401G.450
			500	X2.401G.500
			600	X2 401G.600
			800	X2 401G.800
			1000	X2 401G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Extended M 1/2" + teflon 	F 3/8" 	200	X2 441.200
			250	X2 441.250
			300	X2 441.300
			350	X2 441.350
			400	X2 441.400
			450	X2 441.450
			500	X2.441 500
			600	X2 441.600
			800	X2 441.800
			1000	X2 441.1000
DN8	Extended M 1/2" + teflon 	F 1/2" 	200	X2 442.200
			250	X2 442.250
			300	X2 442.300
			350	X2 442.350
			400	X2 442.400
			450	X2 442.450
			500	X2.442 500
			600	X2 442.600
			800	X2 442.800
			1000	X2 442.1000
DN8	Extended M 1/2" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X2 443.200
			250	X2 443.250
			300	X2 443.300
			350	X2 443.350
			400	X2 443.400
			450	X2 443.450
			500	X2.443 500
			600	X2 443.600
			800	X2 443.800
			1000	X2 443.1000
DN8	Extended M 1/2" + teflon 	F 3/8" inserted gasket 	200	X2 441G.200
			250	X2 441G.250
			300	X2 441G.300
			350	X2 441G.350
			400	X2 441G.400
			450	X2 441G.450
			500	X2.441G 500
			600	X2 441G.600
			800	X2 441G.800
			1000	X2 441G.1000
DN8	Extended M 1/2" + teflon 	F 1/2" inserted gasket 	200	X2 442G.200
			250	X2 442G.250
			300	X2 442G.300
			350	X2 442G.350
			400	X2 442G.400
			450	X2 442G.450
			500	X2.442G 500
			600	X2 442G.600
			800	X2 442G.800
			1000	X2 442G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Extended revolving M 1/2" 	F 3/8" 	200	X2 510.200
			250	X2 510.250
			300	X2 510.300
			350	X2 510.350
			400	X2 510.400
			450	X2 510.450
			500	X2.510 500
			600	X2 510.600
			800	X2 510.800
			1000	X2 510.1000
DN8	Extended revolving M 1/2" 	F 1/2" 	200	X2 511.200
			250	X2 511.250
			300	X2 511.300
			350	X2 511.350
			400	X2 511.400
			450	X2 511.450
			500	X2.511 500
			600	X2 511.600
			800	X2 511.800
			1000	X2 511.1000
DN8	Extended revolving M 1/2" 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X2 512.200
			250	X2 512.250
			300	X2 512.300
			350	X2 512.350
			400	X2 512.400
			450	X2 512.450
			500	X2.512 500
			600	X2 512.600
			800	X2 512.800
			1000	X2 512.1000
DN8	Extended revolving M 1/2" 	F 3/8" inserted gasket 	200	X2 510G.200
			250	X2 510G.250
			300	X2 510G.300
			350	X2 510G.350
			400	X2 510G.400
			450	X2 510G.450
			500	X2.510G 500
			600	X2 510G.600
			800	X2 510G.800
			1000	X2 510G.1000
DN8	Extended revolving M 1/2" 	F 1/2" inserted gasket 	200	X2 511G.200
			250	X2 511G.250
			300	X2 511G.300
			350	X2 511G.350
			400	X2 511G.400
			450	X2 511G.450
			500	X2.511G 500
			600	X2 511G.600
			800	X2 511G.800
			1000	X2 511G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Revolving M 1/2" elbow R.O. 90° 	F 3/8" 	200	X2 513.200
			250	X2 513.250
			300	X2 513.300
			350	X2 513.350
			400	X2 513.400
			450	X2 513.450
			500	X2.513 500
			600	X2 513.600
			800	X2 513.800
			1000	X2 513.1000
DN8	Revolving M 1/2" elbow R.O. 90° 	F 1/2" 	200	X2 474.200
			250	X2 474.250
			300	X2 474.300
			350	X2 474.350
			400	X2 474.400
			450	X2 474.450
			500	X2.474 500
			600	X2 474.600
			800	X2 474.800
			1000	X2 474.1000
DN8	Revolving F 1/2" elbow R.O. 90° 	M 3/8" 	200	X2 514.200
			250	X2 514.250
			300	X2 514.300
			350	X2 514.350
			400	X2 514.400
			450	X2 514.450
			500	X2.514 500
			600	X2 514.600
			800	X2 514.800
			1000	X2 514.1000
DN8	Revolving F 1/2" elbow R.O. 90° 	M 1/2" 	200	X2 515.200
			250	X2 515.250
			300	X2 515.300
			350	X2 515.350
			400	X2 515.400
			450	X2 515.450
			500	X2.515 500
			600	X2 515.600
			800	X2 515.800
			1000	X2 515.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series



Technical data:
For hydro-sanitary use only
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 9,5
External Ø 14
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN10			200	X3 304.200
			250	X3 304.250
			300	X3 304.300
			350	X3 304.350
			400	X3 304.400
			450	X3 304.450
			500	X3.304.500
			600	X3 304.600
			800	X3 304.800
			1000	X3 304.1000
DN10			200	X3 301.200
			250	X3 301.250
			300	X3 301.300
			350	X3 301.350
			400	X3 301.400
			450	X3 301.450
			500	X3 301.500
			600	X3 301.600
			800	X3 301.800
			1000	X3.301.1000
DN10			200	X3 300.200
			250	X3 300.250
			300	X3 300.300
			350	X3 300.350
			400	X3 300.400
			450	X3 300.450
			500	X3 300.500
			600	X3 300.600
			800	X3 300.800
			1000	X3 300.1000
DN10			200	X3 313.200
			250	X3 313.250
			300	X3 313.300
			350	X3 313.350
			400	X3 313.400
			450	X3 313.450
			500	X3 313.500
			600	X3.313.600
			800	X3 313.800
			1000	X3 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	 M 3/8"	 F 1/2"	200	X3 314.200
			250	X3 314.250
			300	X3 314.300
			350	X3 314.350
			400	X3 314.400
			450	X3 314.450
			500	X3.314.500
			600	X3 314.600
			800	X3 314.800
			1000	X3 314.1000
DN10	 M 1/2"	 F 3/8"	200	X3 312.200
			250	X3 312.250
			300	X3 312.300
			350	X3 312.350
			400	X3 312.400
			450	X3 312.450
			500	X3 312.500
			600	X3 312.600
			800	X3 312.800
			1000	X3.312.1000
DN10	 M 1/2"	 F 1/2"	200	X3 305.200
			250	X3 305.250
			300	X3 305.300
			400	X3 305.400
			450	X3 305.450
			500	X3 305.500
			600	X3 305.600
			800	X3 305.800
			1000	X3 305.1000
DN10	 Extended M 3/8"	 F 3/8"	200	X3 326.200
			250	X3 326.250
			300	X3 326.300
			350	X3 326.350
			400	X3 326.400
			450	X3 326.450
			500	X3 326.500
			600	X3.326.600
			800	X3 326.800
			1000	X3 326.1000
DN10	 Extended M 3/8"	 F 1/2"	200	X3 325.200
			250	X3 325.250
			300	X3 325.300
			350	X3 325.350
			400	X3 325.400
			450	X3 325.450
			500	X3 325.500
			600	X3 325.600
			800	X3 325.800
			1000	X3 325.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended M 1/2" 	F 3/8" 	200	X3 323.200
			250	X3 323.250
			300	X3 323.300
			350	X3 323.350
			400	X3 323.400
			450	X3 323.450
			500	X3 323.500
			600	X3 323.600
			800	X3 323.800
			1000	X3 323.1000
DN10	Extended M 1/2" 	F 1/2" 	200	X3 322.200
			250	X3 322.250
			300	X3 322.300
			350	X3 322.350
			400	X3 322.400
			450	X3 322.450
			500	X3 322.500
			600	X3 322.600
			800	X3 322.800
			1000	X3 322.1000
DN10	Extended revolving M 1/2" 	F 3/8" 	200	X3 510.200
			250	X3 510.250
			300	X3 510.300
			350	X3 510.350
			400	X3 510.400
			450	X3 510.450
			500	X3 510.500
			600	X3 510.600
			800	X3 510.800
			1000	X3 510.1000
DN10	Extended revolving M 1/2" 	F 1/2" 	200	X3 511.200
			250	X3 511.250
			300	X3 511.300
			350	X3 511.350
			400	X3 511.400
			450	X3 511.450
			500	X3 511.500
			600	X3 511.600
			800	X3 511.800
			1000	X3 511.1000
DN10	Extended revolving M 1/2" 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 512.200
			250	X3 512.250
			300	X3 512.300
			350	X3 512.350
			400	X3 512.400
			450	X3 512.450
			500	X3 512.500
			600	X3 512.600
			800	X3 512.800
			1000	X3 512.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended revolving M 1/2" 	F 3/8" inserted gasket 	200	X3 510G.200
			250	X3 510G.250
			300	X3 510G.300
			350	X3 510G.350
			400	X3 510G.400
			450	X3 510G.450
			500	X3 510G.500
			600	X3 510G.600
			800	X3 510G.800
			1000	X3 510G.1000
DN10	Extended revolving M 1/2" 	F 1/2" inserted gasket 	200	X3 511G.200
			250	X3 511G.250
			300	X3 511G.300
			350	X3 511G.350
			400	X3 511G.400
			450	X3 511G.450
			500	X3 511G.500
			600	X3 511G.600
			800	X3 511G.800
			1000	X3 511G.1000
DN10	Extended M 3/8" + teflon 	F 3/8" 	200	X3 444.200
			250	X3 444.250
			300	X3 444.300
			350	X3 444.350
			400	X3 444.400
			450	X3 444.450
			500	X3 444.500
			600	X3 444.600
			800	X3 444.800
			1000	X3 444.1000
DN10	Extended M 3/8" + teflon 	F 1/2" 	200	X3 445.200
			250	X3 445.250
			300	X3 445.300
			350	X3 445.350
			400	X3 445.400
			450	X3 445.450
			500	X3 445.500
			600	X3 445.600
			800	X3 445.800
			1000	X3 445.1000
DN10	Extended M 1/2" + teflon 	F 3/8" 	200	X3 441.200
			250	X3 441.250
			300	X3 441.300
			350	X3 441.350
			400	X3 441.400
			450	X3 441.450
			500	X3 441.500
			600	X3 441.600
			800	X3 441.800
			1000	X3 441.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended M 1/2" + teflon 	F 1/2" 	200	X3 442.200
			250	X3 442.250
			300	X3 442.300
			350	X3 442.350
			400	X3 442.400
			450	X3 442.450
			500	X3 442.500
			600	X3 442.600
			800	X3 442.800
			1000	X3 442.1000
DN10	Extended M 3/8" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 446.200
			250	X3 446.250
			300	X3 446.300
			350	X3 446.350
			400	X3 446.400
			450	X3 446.450
			500	X3 446.500
			600	X3 446.600
			800	X3 446.800
			1000	X3 446.1000
DN10	Extended M 1/2" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 443.200
			250	X3 443.250
			300	X3 443.300
			350	X3 443.350
			400	X3 443.400
			450	X3 443.450
			500	X3 443.500
			600	X3 443.600
			800	X3 443.800
			1000	X3 443.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X3 502.200
			250	X3 502.250
			300	X3 502.300
			350	X3 502.350
			400	X3 502.400
			450	X3 502.450
			500	X3 502.500
			600	X3 502.600
			800	X3 502.800
			1000	X3 502.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X3 506.200
			250	X3 506.250
			300	X3 506.300
			350	X3 506.350
			400	X3 506.400
			450	X3 506.450
			500	X3 506.500
			600	X3 506.600
			800	X3 506.800
			1000	X3 506.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X3 399.200
			250	X3 399.250
			300	X3 399.300
			350	X3 399.350
			400	X3 399.400
			450	X3 399.450
			500	X3 399.500
			600	X3 399.600
			800	X3 399.800
			1000	X3 399.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X3 505.200
			250	X3 505.250
			300	X3 505.300
			350	X3 505.350
			400	X3 505.400
			450	X3 505.450
			500	X3 505.500
			600	X3 505.600
			800	X3 505.800
			1000	X3 505.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Extended M 3/8" 	200	X3 447.200
			250	X3 447.250
			300	X3 447.300
			350	X3 447.350
			400	X3 447.400
			450	X3 447.450
			500	X3 447.500
			600	X3 447.600
			800	X3 447.800
			1000	X3 447.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Extended M 1/2" 	200	X3 362.200
			250	X3 362.250
			300	X3 362.300
			350	X3 362.350
			400	X3 362.400
			450	X3 362.450
			500	X3 362.500
			600	X3 362.600
			800	X3 362.800
			1000	X3 362.1000
DN10	Revolving M 1/2" elbow R.O. 90°  	F 1/2" 	200	X3 474.200
			250	X3 474.250
			300	X3 474.300
			350	X3 474.350
			400	X3 474.400
			450	X3 474.450
			500	X3 474.500
			600	X3 474.600
			800	X3 474.800
			1000	X3 474.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Revolving M 1/2" elbow R.O. 90° 	M 1/2" 	200	X3 516.200
			250	X3 516.250
			300	X3 516.300
			350	X3 516.350
			400	X3 516.400
			450	X3 516.450
			500	X3 516.500
			600	X3 516.600
			800	X3 516.800
			1000	X3 516.1000
DN10	Revolving F 1/2" elbow R.O. 90° 	F 3/4" 	200	X3 517.200
			250	X3 517.250
			300	X3 517.300
			350	X3 517.350
			400	X3 517.400
			450	X3 517.450
			500	X3 517.500
			600	X3 517.600
			800	X3 517.800
			1000	X3 517.1000
DN10	Revolving F 1/2" elbow R.O. 90° 	M 3/4" 	200	X3 518.200
			250	X3 518.250
			300	X3 518.300
			350	X3 518.350
			400	X3 518.400
			450	X3 518.450
			500	X3 518.500
			600	X3 518.600
			800	X3 518.800
			1000	X3 518.1000
DN10	Elbow F 3/8" 	F 3/8" 	200	X3 311.200
			250	X3 311.250
			300	X3 311.300
			350	X3 311.350
			400	X3 311.400
			450	X3 311.450
			500	X3 311.500
			600	X3 311.600
			800	X3 311.800
			1000	X3 311.1000
DN10	Elbow F 3/8" 	F 1/2" 	200	X3 302.200
			250	X3 302.250
			300	X3 302.300
			350	X3 302.350
			400	X3 302.400
			450	X3 302.450
			500	X3 302.500
			600	X3 302.600
			800	X3 302.800
			1000	X3 302.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Elbow F 3/8" 	M 3/8" 	200	X3 519.200
			250	X3 519.250
			300	X3 519.300
			350	X3 519.350
			400	X3 519.400
			450	X3 519.450
			500	X3 519.500
			600	X3 519.600
			800	X3 519.800
			1000	X3 519.1000
DN10	Elbow F 3/8" 	M 1/2" 	200	X3 357.200
			250	X3 357.250
			300	X3 357.300
			350	X3 357.350
			400	X3 357.400
			450	X3 357.450
			500	X3 357.500
			600	X3.357.600
			800	X3 357.800
			1000	X3 357.1000
DN10	Elbow F 1/2" 	F 3/8" 	200	X3 416.200
			250	X3 416.250
			300	X3 416.300
			350	X3 416.350
			400	X3 416.400
			450	X3 416.450
			500	X3 416.500
			600	X3 416.600
			800	X3 416.800
			1000	X3 416.1000
DN10	Elbow F 1/2" 	F 1/2" 	200	X3 329.200
			250	X3 329.250
			300	X3 329.300
			350	X3 329.350
			400	X3 329.400
			450	X3 329.450
			500	X3 329.500
			600	X3.329.600
			800	X3 329.800
			1000	X3 329.1000
DN10	Elbow F 1/2" 	M 3/8" 	200	X3 520.200
			250	X3 520.250
			300	X3 520.300
			350	X3 520.350
			400	X3 520.400
			450	X3 520.450
			500	X3 520.500
			600	X3.520.600
			800	X3 520.800
			1000	X3 520.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Elbow F 1/2"	M 1/2"	200	X3 316.200
			250	X3 316.250
			300	X3 316.300
			350	X3 316.350
			400	X3 316.400
			450	X3 316.450
			500	X3 316.500
			600	X3 316.600
			800	X3 316.800
			1000	X3 316.1000
DN10	Elbow F 3/4"	F 1/2"	200	X3 354.200
			250	X3 354.250
			300	X3 354.300
			350	X3 354.350
			400	X3 354.400
			450	X3 354.450
			500	X3 354.500
			600	X3.354.600
			800	X3 354.800
			1000	X3 354.1000
DN10	Elbow F 3/4"	F 3/4"	200	X3 330.200
			250	X3 330.250
			300	X3 330.300
			350	X3 330.350
			400	X3 330.400
			450	X3 330.450
			500	X3 330.500
			600	X3 330.600
			800	X3 330.800
			1000	X3 330.1000
DN10	Elbow F 3/4"	M 1/2"	200	X3 332.200
			250	X3 332.250
			300	X3 332.300
			350	X3 332.350
			400	X3 332.400
			450	X3 332.450
			500	X3 332.500
			600	X3.332.600
			800	X3 332.800
			1000	X3 332.1000
DN10	Elbow F 3/4"	M 3/4"	200	X3 360.200
			250	X3 360.250
			300	X3 360.300
			350	X3 360.350
			400	X3 360.400
			450	X3 360.450
			500	X3 360.500
			600	X3.360.600
			800	X3 360.800
			1000	X3 360.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Quick connection Ø 10 	F 3/8" 	200	X3 501.200
			250	X3 501.250
			300	X3 501.300
			350	X3 501.350
			400	X3 501.400
			450	X3 501.450
			500	X3 501.500
			600	X3 501.600
			800	X3 501.800
			1000	X3 501.1000
DN10	Quick connection Ø 10 	F 1/2" 	200	X3 499.200
			250	X3 499.250
			300	X3 499.300
			350	X3 499.350
			400	X3 499.400
			450	X3 499.450
			500	X3 499.500
			600	X3 499.600
			800	X3 499.800
			1000	X3 499.1000
DN10	Quick connection Ø 10 	M 3/8" 	200	X3 452.200
			250	X3 452.250
			300	X3 452.300
			350	X3 452.350
			400	X3 452.400
			450	X3 452.450
			500	X3 452.500
			600	X3 452.600
			800	X3 452.800
			1000	X3 452.1000
DN10	Quick connection Ø 10 	M 1/2" 	200	X3 522.200
			250	X3 522.250
			300	X3 522.300
			350	X3 522.350
			400	X3 522.400
			450	X3 522.450
			500	X3 522.500
			600	X3 522.600
			800	X3 522.800
			1000	X3 522.1000
DN10	Quick connection Ø 10 	Quick connection Ø 10 	200	X3 498.200
			250	X3 498.250
			300	X3 498.300
			350	X3 498.350
			400	X3 498.400
			450	X3 498.450
			500	X3 498.500
			600	X3 498.600
			800	X3 498.800
			1000	X3 498.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series



Technical data:
For hydro-sanitary use only
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 12,5
External Ø 17
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves


G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN13			200	X4 300.200
			250	X4 300.250
			300	X4 300.300
			350	X4 300.350
			400	X4 300.400
			500	X4.300 500
			1000	X4 300.1000
			1500	X4 300.1500
			2000	X4 300.2000
DN13			200	X4 303.200
			250	X4 303.250
			300	X4 303.300
			350	X4 303.350
			400	X4 303.400
			500	X4.303 500
			1000	X4 303.1000
			1500	X4 303.1500
			2000	X4 303.2000
DN13			200	X4 309.200
			250	X4 309.250
			300	X4 309.300
			350	X4 309.350
			400	X4 309.400
			500	X4.309 500
			1000	X4 309.1000
			1500	X4 309.1500
			2000	X4 309.2000
DN13			200	X4 328.200
			250	X4 328.250
			300	X4 328.300
			350	X4 328.350
			400	X4 328.400
			500	X4.328 500
			1000	X4 328.1000
			1500	X4 328.1500
			2000	X4 328.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series

DN	Fitting	Fitting	Length mm	code
DN13	 M 1/2"	 F 1/2"	200	X4 305.200
			250	X4 305.250
			300	X4 305.300
			350	X4 305.350
			400	X4 305.400
			500	X4.305 500
			1000	X4 305.1000
			1500	X4 305.1500
			2000	X4 305.2000
DN13	 M 1/2"	 F 3/4"	200	X4 310.200
			250	X4 310.250
			300	X4 310.300
			350	X4 310.350
			400	X4 310.400
			500	X4.310 500
			1000	X4 310.1000
			1500	X4 310.1500
			2000	X4 310.2000
DN13	 F 1/2"	 Elbow F 1/2"	200	X4 329.200
			250	X4 329.250
			300	X4 329.300
			350	X4 329.350
			400	X4 329.400
			500	X4.329 500
			1000	X4 329.1000
			1500	X4 329.1500
			2000	X4 329.2000
DN13	 F 1/2"	 Elbow F 3/4"	200	X4 354.200
			250	X4 354.250
			300	X4 354.300
			350	X4 354.350
			400	X4 354.400
			500	X4.354 500
			1000	X4 354.1000
			1500	X4 354.1500
			2000	X4 354.2000
DN13	 F 3/4"	 Elbow F 3/4"	200	X4 330.200
			250	X4 330.250
			300	X4 330.300
			350	X4 330.350
			400	X4 330.400
			500	X4.330 500
			1000	X4 330.1000
			1500	X4 330.1500
			2000	X4 330.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series

DN	Fitting	Fitting	Length mm	code
DN13			200	X4 316.200
			250	X4 316.250
			300	X4 316.300
			350	X4 316.350
			400	X4 316.400
			500	X4.316 500
			1000	X4 316.1000
			1500	X4 316.1500
			2000	X4 316.2000
DN13			200	X4 322.200
			250	X4 322.250
			300	X4 322.300
			350	X4 322.350
			400	X4 322.400
			500	X4.322 500
			1000	X4 322.1000
			1500	X4 322.1500
			2000	X4 322.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses

Antivibration flexible hoses (galvanized stainless steel hoses)



*Antivibration flexible hose for low pressure installation
(pumps, autoclaves, radiators, heating and conditioning
systems)*

Technical data:

Atoxic EPDM liner suitable for drinking water and not
Corrosive liquids

Operating temperature range:

From 5° C to max 90° C

Braiding:

Galvanized steel

Nickel plated or raw brass connectors

Connectors Series: M/F or F/F

Aluminium sleeves

Fitting	Fitting	Length mm	code
 M 1/2"	 F 1/2"	300	AV 001.300
		400	AV 001.400
		500	AV 001.500
		600	AV 001.600
		700	AV 001.700
		800	AV 001.800
		1000	AV 001.1000
 M 3/4"	 F 3/4"	300	AV 002.300
		400	AV 002.400
		500	AV 002.500
		600	AV 002.600
		700	AV 002.700
		800	AV 002.800
		1000	AV 002.1000
 M 1"	 F 1"	300	AV 003.300
		400	AV 003.400
		500	AV 003.500
		600	AV 003.600
		700	AV 003.700
		800	AV 003.800
		1000	AV 003.1000
 M 1" 1/4	 F 1" 1/4	300	AV 004.300
		400	AV 004.400
		500	AV 004.500
		600	AV 004.600
		700	AV 004.700
		800	AV 004.800
		1000	AV 004.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses (galvanized stainless-steel hoses)

Antivibration flexible hoses (galvanized stainless-steel hoses)

Fitting	Fitting	Length mm	code
 M 1" ½	 F 1" ½	300	AV 005.300
		400	AV 005.400
		500	AV 005.500
		600	AV 005.600
		700	AV 005.700
		800	AV 005.800
		1000	AV 005.1000
 M 2"	 F 2"	300	AV 007.300
		400	AV 007.400
		500	AV 007.500
		600	AV 007.600
		700	AV 007.700
		800	AV 007.800
		1000	AV 007.1000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses

Antivibration flexible hoses (stainless steel hoses)



*Antivibration flexible hose for low pressure installation
(pumps, autoclaves, radiators, heating and conditioning
systems)*

Technical data:

Atoxic EPDM liner suitable for drinking water and not
Corrosive liquids

Operating temperature range:
From 5° C to max 90° C

Braiding:

Stainless steel

Nickel plated or raw brass connectors

Connectors Series: M/F or F/F

Stainless steel sleeves

Fitting	Fitting	Length mm	code
 M 1/2"	 F 1/2"	300	AV 001I.300
		400	AV 001I.400
		500	AV 001I.500
		600	AV 001I.600
		700	AV 001I.700
		800	AV 001I.800
		1000	AV 001I.1000
 M 3/4"	 F 3/4"	300	AV 002I.300
		400	AV 002I.400
		500	AV 002I.500
		600	AV 002I.600
		700	AV 002I.700
		800	AV 002I.800
		1000	AV 002I.1000
 M 1"	 F 1"	300	AV 003I.300
		400	AV 003I.400
		500	AV 003I.500
		600	AV 003I.600
		700	AV 003I.700
		800	AV 003I.800
		1000	AV 003I.1000
 M 1" 1/4	 F 1" 1/4	300	AV 004I.300
		400	AV 004I.400
		500	AV 004I.500
		600	AV 004I.600
		700	AV 004I.700
		800	AV 004I.800
		1000	AV 004I.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses (galvanized stainless steel hoses)

Antivibration flexible hoses (galvanized stainless steel hoses)

Fitting	Fitting	Length mm	code
M 1" ½ 	F 1" ½ 	300	AV 005I.300
		400	AV 005I.400
		500	AV 005I.500
		600	AV 005I.600
		700	AV 005I.700
		800	AV 005I.800
		1000	AV 005I.1000
M 2" 	F 2" 	300	AV 007I.300
		400	AV 007I.400
		500	AV 007I.500
		600	AV 007I.600
		700	AV 007I.700
		800	AV 007I.800
		1000	AV 007I.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

Revolving Flex

Technical data:

Silver shower hose



Fitting	Fitting	Length mm	Code
F ½" 	F ½" conical 	1000	AO 6347.1000
		1200	AO 6347.1200
		1500	AO 6347.1500
		1750	AO 6347.1750
		2000	AO 6347.2000
F ½" conical 	Revolving F ½" conical 	1000	AO 6754.1000
		1200	AO 6754.1200
		1500	AO 6754.1500
		1750	AO 6754.1750
		2000	AO 6754.2000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it






Shower hoses

Spring Flex

Technical data:

Patented shower hose Ø 13
Made by AISI 302 stainless steel
Conforms to EN 1113



Fitting	Fitting	Length mm	Code
		1200	SPRINGF12.1200
		1500	SPRINGF12.1500
		2000	SPRINGF12.2000
		1200	SPRINGMG151.1200
		1500	SPRINGMG151.1500
		2000	SPRINGMG151.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

Spiro Flex

Technical data:

Spiro flex shower hose
Approved KTW-C



Fitting	Fitting	Length mm	Code
 F 1/2"	 F 1/2" conical	1000	SF 6347.1000
		1200	SF 6347.1200
		1500	SF 6347.1500
		1750	SF 6347.1750
		2000	SF 6347.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

DocciaLux

Technical data:

DocciaLux shower hose



Fitting	Fitting	Length mm	Code
 F 1/2"	 F 1/2" conical	1000	CR 6347.1000
		1200	CR 6347.1200
		1500	CR 6347.1500
		1750	CR 6347.1750
		2000	CR 6347.2000
 F 1/2" conical	 Revolving F 1/2" conical	1000	CR 6754.1000
		1200	CR 6754.1200
		1500	CR 6754.1500
		1750	CR 6754.1750
		2000	CR 6754.2000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower hoses

Shower hose

Technical data:

Stainless steel double-lock shower hose (SH code)
Stainless steel double-lock extensible shower hose (SHE code)
Conforms to EN 1113 ACS approved



Fitting	Fitting	Length mm	Code
F ½" 	F ½" conical 	1000	SH 6347.1000
		1200	SH 6347.1200
		1500	SH 6347.1500
		1750	SH 6347.1750
		2000	SH 6347.2000
F ½" conical 	F ½" conical 	1000-2000	SHE 6347.1500



Stainless steel and nylon flexible hoses


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Kitchen hoses

Nylon DN8 Series

Technical data:



Internal Ø 8
External Ø 12
Nylon braiding coating Ø 0,25 mm
Colour to be specified:
White (B)
Black (N)
Gray (G)
Stainless steel sleeves


The first letter indicates the colour (i.e. N=black)

DN	Fitting	Fitting	Length mm	code
DN8			800	(N)2 301.800
			900	(N)2 301.900
			1000	(N)2 301.1000
			1200	(N)2 301.1200
			1500	(N)2 301.1500
			1800	(N)2 301.1800
			2000	(N)2 301.2000
DN8			800	(N)2 300.800
			900	(N)2 300.900
			1000	(N)2 300.1000
			1200	(N)2 300.1200
			1500	(N)2 300.1500
			1800	(N)2 300.1800
			2000	(N)2 300.2000
DN8			800	(N)2 379.800
			900	(N)2 379.900
			1000	(N)2 379.1000
			1200	(N)2 379.1200
			1500	(N)2 379.1500
			1800	(N)2 379.1800
			2000	(N)2 379.2000
DN8			800	(N)2 380.800
			900	(N)2 380.900
			1000	(N)2 380.1000
			1200	(N)2 380.1200
			1500	(N)2 380.1500
			1800	(N)2 380.1800
			2000	(N)2 380.2000
DN8			800	(N)2 692.800
			900	(N)2 692.900
			1000	(N)2 692.1000
			1200	(N)2 692.1200
			1500	(N)2 692.1500
			1800	(N)2 692.1800
			2000	(N)2 692.2000



Stainless steel
and nylon
flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Kitchen hoses

Nylon DN8 Series

The first letter indicates the colour (i.e. N=black)

DN	Fitting	Fitting	Length mm	code
DN8			800	(N)2 337.800
			900	(N)2 337.900
			1000	(N)2 337.1000
			1200	(N)2 337.1200
			1500	(N)2 337.1500
			1800	(N)2 337.1800
			2000	(N)2 337.2000
DN8			800	(N)2 339.800
			900	(N)2 339.900
			1000	(N)2 339.1000
			1200	(N)2 339.1200
			1500	(N)2 339.1500
			1800	(N)2 339.1800
			2000	(N)2 339.2000
DN8			800	(N)2 432.800
			900	(N)2 432.900
			1000	(N)2 432.1000
			1200	(N)2 432.1200
			1500	(N)2 432.1500
			1800	(N)2 432.1800
			2000	(N)2 432.2000
DN8			800	(N)2 389.800
			900	(N)2 389.900
			1000	(N)2 389.1000
			1200	(N)2 389.1200
			1500	(N)2 389.1500
			1800	(N)2 389.1800
			2000	(N)2 389.2000
DN8			800	(N)2 433.800
			900	(N)2 433.900
			1000	(N)2 433.1000
			1200	(N)2 433.1200
			1500	(N)2 433.1500
			1800	(N)2 433.1800
			2000	(N)2 433.2000





Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Gas hoses

Gas hoses for indoor appliances EN 14800

Technical data:

Hose: Stainless steel AISI 304

Male fitting: Stainless steel AISI 303, thread as per EN 14800 standard

Ferrules: Stainless steel AISI 303, seal in compliance with EN 14800 standard

Nut: Stainless steel AISI 303 thread conform to EN 14800 standard

Braid: stainless steel AISI 304, wire Ø 0.25 mm, 4 wires for each group, for total of 96 wires

Protective cover: Yellow PVC

Gasket: nitrite rubber as per EN 549 standard

Stainless steel hose made by a metallic braid and an external coating, the ideal solution for connecting gas household appliance (stoves, etc.) with nominal heat input not exceeding 35 kw to gas supply lines. This hose is manufactured in compliance with the European standard *EN 14800* and carries the *CE* mark.

The external plastic coating aims at protecting the hose from potential damages caused by the surrounding environment.



Fitting	Fitting	Length mm	Code
Revolving F ½" 	Revolving F ½" 	500	FLEGASEU.500
		1000	FLEGASEU.1000
		1250	FLEGASEU.1250
		1500	FLEGASEU.1500
		2000	FLEGASEU.2000
Revolving F ½" 	M ½" 	500	FLEGASMEU.500
		1000	FLEGASMEU.1000
		1250	FLEGASMEU.1250
		1500	FLEGASMEU.1500
		2000	FLEGASMEU.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Gas hoses

GPL Gas hoses for outdoor appliances

Technical data:

Gas hose with handle for outdoor appliances.

Galvanized steel braided hose in compliance with IMQ UNI CIG 7140 (expiration 5 years)

Threaded nut 20x14 SF-h 16 for connection on LPG cylinder



Fitting	Fitting	Length mm	Code
 Revolving F ½"	 Revolving F ½"	500	FLEXGAS.500
		700	FLEXGAS.700
		1000	FLEXGAS.1000
		1500	FLEXGAS.1500
		2000	FLEXGAS.2000



Catalogue 3

Brass handles




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Minimal line Handles




Art. 100
Square handle




Art. 102
Quadro Handle



Art. 137
Elite handle



Art. 139
Star handle



Art. 135
Style handle




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Minimal line Handles




Art. 136
Minimal handle



Art. 190
Cubo handle



Art. 254
Linea handle



Art. 255
Zen handle




**Brass
handles**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Minimal line Diverters




Art. 253
Cilindro diverter

Levers



Art. 256
Quadro lever




Art. 293
Elite lever




Art. 295
Gemini lever

Caps



Art. 323
Cilindro cap



Art. 389
Elite cap




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Minimal line Caps



Art. 395
Linea cap




Art. 397
Zen cap




Art. 463
Centrale cap – salterello knob

Bases



Art. 831
Quadra base




Art. 833
Tonda base




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Swarovski line Handles




Art. 2001
Venezia handle
with Swarovski
elements



Art. 2002
Firenze handle
with Swarovski
elements



Art. 2003
Roma handle
with Swarovski
elements



Art. 2004
Vienna handle
with Swarovski
elements




Art. 2005
Madrid handle
with Swarovski
elements



Art. 2006
Parigi handle
with Swarovski
elements



Art. 2007
Torino handle
with
Swarovski
elements



Art. 2009
Atene handle
with Swarovski
elements




Art. 2008
Crystal handle
with Swarovski
elements



**Brass
handles**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Swarovski line Handles



Art. 2010
Oslo handle
with Swarovski
elements



Art. 2011
Lisbona handle
with Swarovski
elements



Art. 2012
Mosca handle
with Swarovski
elements



Art. 191CS
Cocò handle
with Swarovski
elements




Art. 103
Mary handle
with Swarovski
elements




Art. 137CS
Elite handle
with Swarovski
elements



Art. 2016
Ice handle
with Swarovski
elements



Art. 2016B
Ice handle
with Swarovski
elements





Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Swarovski line Handles



Art. 2013
Londra handle
with Swarovski
elements



Levers



Art. 229CS
Royal lever
with Swarovski
elements



Art. 237CS
Liberty lever
with Swarovski
elements



Art. 241CS
Gregory lever
with Swarovski
elements



Art. 241CS1
Gregory lever
with Swarovski
elements



Art. 245ACS
White lever
with Swarovski
elements



Art. 288CS
Globo lever
with Swarovski
elements



Art. 290CS
Imperial lever
with Swarovski
elements



Art. 293CS
Elite lever
with Swarovski
elements



Art. 295CS
Gemini lever
with Swarovski
elements



Art. 297CS
Aladin lever
with Swarovski
elements



**Brass
handles**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Swarovski line Levers



Art. 241R020CS
Gregory lever with resin knob and
Swarovski elements



Hand showers




Art. 405R020CS
Classic/C hand shower
with resin knob
and Swarovski elements

Art 463CS	Art. 475CS	Art. 477CS	Art. 671CS	Art 679CS



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :

Rings



Art. 001
America Ring



Art. 003
America R. Ring




Art. 005
Francia Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings



Art. 007
Spagna Ring



Art. 009
Grecia Ring



Art. 011
Svizzera Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings



Art. 013
Turchia Ring



Art. 015
Portogallo Ring



Art. 019
Svezia Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings



Art. 023
Austria Ring



Art. 027
Olanda Ring



Art. 041
Africa Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings



Art. 051
Giappone Ring



Art. 053
Italia Ring



Art. 055
Australia Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings



Art. 057
India Ring



Art. 059
Belgio Ring



Art. 077
Argentina Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Rings




Art. 079
Brasile Ring



Art. 093
Alaska Ring



Art. 095
Kenia Ring




Art. 097
Europa Ring



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :

Plugs




Art. 063
Dora Plug



Art. 065
Garda Plug



Art. 069
Iseo Plug




Art. 087
Idro Plug



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles


To assemble the handle, choose from the following components:

Pour composer le croisillon, choisir entre les suivants composants :


Bodies



Art. 075
Ticino Body



Art. 081
Volturno Body



Art. 093
Adige Body




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cross handles




Art. 101
Vanity handle




Art. 103
Mary handle



Art. 105
Quadrifoglio P. handle



Art. 107
Quadrifoglio G. handle



Art. 109
Fiocco di Neve S/G handle




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cross handles




Art. 111
Fiocco di Neve C/G handle




Art. 113
Fiocco di neve G handle



Art. 114
Harmony handle



Art. 116
Monaco handle



Art. 119
Stella handle




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cross handles




Art. 121
Birillo handle




Art. 123
Golf handle



Art. 124
Edward handle



Art. 125
Birillo Classico handle



Art. 128
Victoria handle




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Cross handles



Art. 129
Nostalgia handle



Art. 131
Alessia handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles




Art. 143
Diamante handle




Art. 145
Cusio handle



Art. 155
Rubino handle



Art. 157
Jolly handle



Art. 161
Speranza handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles




Art. 167
Sole/A handle




Art. 169
Sole/B handle



Art. 173
Lena handle



Art. 175
Globo handle



Art. 177
Martin handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles




Art. 179
Venere handle



Art. 181
Topazio/A



Art. 183
Topazio handle



Art. 185
Topazio/C handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles




Art. 187
Patrizia handle




Art. 188
Mandarino handle



Art. 191
Coco handle



Art. 192
Cochi handle



Art. 193
Uovo handle




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Handles



Art. 195
Primula handle



Art. 197
Sfera handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Diverter knobs




Art. 203
Scricciolo diverter knob




Art. 207
Ariete diverter knob



Art. 209
Giuse diverter knob



Art. 211
Pino diverter knob




Art. 213
Carmen diverter knob




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Diverter knobs




Art. 219
Pipa B diverter knob



Art. 221
Export diverter knob



Art. 223
Start diverter knob



Art. 235
Elite diverter knob




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Levers




Art. 215
Pipa C Lever




Art. 226
Incasso Lever



Art. 228
Alba Lever



Art. 229
Royal Lever



Art. 231
Decò Lever




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Levers




Art. 233
Enigma Lever




Art. 237
Liberty Lever



Art. 239
Harmony Lever



Art. 257
London Lever



Art. 259
Action Lever




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Levers




Art. 261
Luna C Lever




Art. 266
Luna F - 65-85 Lever



Art. 267
Luna A Lever



Art. 269
Luna D. Lever



Art. 271
Floramix Lever




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Lever




Art. 273
Floramix P Lever



Art. 274
Floramix G Lever



Art. 283
Diana Lever




Art. 285
Aquila Lever




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Levers



Art. 289
Globo Lever




Art. 297
Aladin Lever



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Cover plates

		 Art. 635	 Art. 645	 Art. 659	 Art. 671
		 Art. 637	 Art. 647	 Art. 661	 Art. 673
		 Art. 639	 Art. 649	 Art. 663	 Art. 675
		 Art. 641	 Art. 651	 Art. 665	 Art. 677
	 Art. 623	 Art. 643	 Art. 653	 Art. 667	 Art. 679
 Art. 611			 Art. 655	 Art. 669	 Art. 681
					 Art. 683




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 301
Tondo C




Art. 303
Tondo A



Art. 305
Export



Art. 309
Esagono



Art. 311
Tondo B




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 313
Classico




Art. 315
Classico R



Art. 317
Export R



Art. 319
Elegant



Art. 321
Retrò




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 325
Astoria




Art. 331
Martina



Art. 333
Egitto



Art. 345
Lastra cap with S-connection



Art. 347
Incas




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 349
Lastra e bussola




Art. 351
Scorrevole



Art. 353
Eccentrico



Art. 355
Dino



Art. 357
Frank




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 359
Antony




Art. 360
Mark Ø 66



Art 362
Milano Ø 84



Art. 363
Lima



Art. 364
Napoli Ø 80




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts



Art. 367
Louis




Art. 369
Silver



Art. 371
Campana



Art. 375
Millerighe



Art. 381
Liscio




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Cover headparts




Art. 383
Onda



Art. 385
Charlotte



Art. 387
Martini



Art. 467
Centrale




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Various




Art. 801
Base for cap




Art. 803
Base for cap



Art. 804
Base for basin



Art. 807
Base for cap



Art. 451
Coverhole plug



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Art. S01
Sliding bar



Art. A01
Clothes-hook




Art. PS01
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Sliding bars and accessories



Art. S02
Sliding bar



Art. AP02
Clothes-stand



Art. PS02
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Art. S03
Sliding bar



Art. AP03
Clothes-stand



Art. PR03
Roll-holder




Art. PS03
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Art. S04
Sliding bar



Art. A04
Clothes-hook



Art. AP04
Clothes-stand



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Art. S05
Sliding bar



Art. AP05
Clothes-stand



Art. PS05
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Art. S06
Sliding bar



Art. A06
Clothes-hook



Art. AP06
Clothes-stand




Art. PS06
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Sliding bars and accessories



Art. S07
Sliding bar



Art. APR10
Roll-holder



Art. A07
Clothes-hook



Art. AP07
Clothes-stand



Art. PS07
Towel rail



Art. APS09
Towel rail



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Sliding bars and accessories



Sliding bar in colour




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Hand showers




Art. 401
Classic A hand shower



Art. 403
Classic B hand shower



Art. 404
Classic G hand shower



Art. 405
Classic C hand shower






Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Hand showers




Art. 409
Classic E hand shower



Art. 411
Aladin hand shower



Art. 412
Victoria hand shower



Art. 413
Star hand shower



**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Hand showers and accessories




Art. 416
Liberty hand shower



Art. 417
Classic F hand shower




Art. 421
Elbow for hand
Shower



Art. 401CUS
Elbow for hand
shower



Art. 429
Grooved knob
for hand shower




Art. 457
Wall bracket




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Hand showers and accessories



Art. 458
Wall bracket
with water
connection



Art. 459
Wall bracket

Packaging for hand showers






Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Color Line




Art. 109R
Fiocco di Neve S/G
handle made in resin




Art. 111R
Fiocco di Neve
Handle made in resin



Art. 129R
Nostalgia handle made in
resin



Art. 131R
Alessia handle made in
resin



Art. 231R
Decò Lever




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Color Line



Art. 241
Gregory lever
with brass, porcelain or
resin knob




Art. 243
Black handle




Art. 249
Nostalgia lever



Art. 251
Pinocchio lever



Art. 282
Oxford lever
Q. 10 x 10



Art. 284
Edward lever
Q. 10 x 10




**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Color Line




Art. 286
Smeralda lever
Q. 10 x 10




Art. 290
Imperial lever
with brass, porcelain or
resin knob



Art. 291
White or plated Imperial
lever with brass,
porcelain or resin knob



Art. 2910
White or plated lever
with brass, porcelain or
resin knob




Art. 240
Glove lever
with brass, porcelain or
resin knob




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Art. 280
Canada lever
with brass, porcelain or
resin knob




Art. 298
Crystal lever



Art. 299
Colibri lever



Art. 245
White Diverter



Art. 245 AR
Black diverter
With 3/8 threading




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Color Line



Art. 353R
Eccentric cap made in
resin



Art. 381R
Liscio cap made in
resin



Art. 465
Centrale cap
Salterello knob



Art. 805R
Base made in resin



Art. 403R
Classic B hand shower



Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Color Line



Art. 403R
Classic B hand shower



Art. 409R
Classic E hand shower



Art. 551
Resin or porcelain
knob for diverter




Art. 553
Resin or porcelain
knob for diverter




Brass handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Color Line




Art. 555
Resin or porcelain
knob for hand shower



Art. 426
Resin or porcelain
knob for hand shower





Art. 523
Resin knob for lever



Art. 533
Resin knob for lever

Art. 518
Resin handle



Art. 520
Resin handle



**Brass
handles**


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Color Line

Available colors

 C001	 C002	 C003	 C004
 C005	 C006	 C007	 C008
 C009	 C010	 C011	 C012
 C013	 C014	 C015	 C016
 C017	 C018	 C019	





Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Color Line



Art. PSCR
Toilet-brush
holder



Art. PSC1R
Toilet-brush
holder



Art. PSPR
Tooth-brush
holder



Art. PSC1R
Tooth-brush
holder



Art. DSR
Soap dispenser



Art. PSAR
Soap-holder



Art. LR
Lamp made in resin




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line



Art. 901
1/2" connection tap



Art. 902
Polished coupling hose tap



Art. 903
Polished coupling hose tap
with rose and cross handle



Art. 904
Coupling hose tap
with rose and cross
handle



Art. 899
1/2" connection tap



Art. 900
1/2" connection
coupling hose tap



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line




Art. 905
Coupling hose tap
with clinic lever
and rose




Art. 906
1/2" M coupling
Impero style quick pitch
tap with clinic lever




Art. 907
jointed tap
with clinic lever



Art. 908
Single hole tap with
revolving spout



Art. 909
Single hole sink tap with
P spout




Art. 910
Sink unit tap with
revolving spout




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 911
Wall sink unit tap with
revolving spout




Art. 912
Single hole tap with
revolving spout



Art. 913
Single hole tap with
revolving spout



Art. 914
1" 1/4 brass siphon



Art. 915
Drain

H	58	64	73	79	83	85	102
D	36	39,5	50	55,5	66,5	71,5	84
B	11	15	19	26	34	39	50
A	53	59	67	73	78	78	96
G	3/8"	1/2"	3/4"	1"	1" 1/4	1" 1/2	2"




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 920

½" M connection coupling hose
artistic short tap quick pitch
with rose




Art. 921

½" M connection coupling hose
artistic long tap quick pitch
with big rose




Art. 922

½" M connection coupling hose
artistic bolt tap with rose



Art. 923

½" M connection coupling hose
Impero style tap quick pitch
with rose



Art. 924

½" M connection coupling hose
Impero style tap quick pitch
with rose




**Brass
handles**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line



Art. 925


½ “ M connection built in
tap FF



Art. 926

1 ¼ “ connection continuous
supplier ½ “ M A


		A	B	C	D
926/A	½ “	120	41	27	28
926/B	¾ “	155	60	33	15
926/C	1”	170	80	45	32
926/D	1 ¼”	170	75	49	25



Art. 927

1 ¼ “ connection continuous
supplier with bucket holder
½ M A

		A	B	C	D
927/A	½ “	120	41	27	28
927/B	¾ “	165	60	33	15
927/C	1”	185	85	45	32
927/D	1 ¼”	175	90	49	25



Art. 928

¾ “ F connection continuous
supplier with bucket holder
and rose



Art. 929

¾ “ M connection continuous
supplier




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line




Art. 930

$\frac{3}{4}$ " F connection continuous
fountain supplier




Art. 931

$\frac{1}{2}$ " F connection continuous
supplier




Art. 932

$\frac{1}{2}$ " F connection "Delfino"
continuous supplier with rose



Art. 933

$\frac{3}{4}$ " F connection "Delfino"
continuous supplier with rose



Art. 934

$\frac{1}{2}$ " M connection continuous




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 935

$\frac{3}{4}$ " M connection continuous




Art. 936

$\frac{3}{4}$ " M connection continuous
supplier



Art. 937

$\frac{3}{4}$ " F connection continuous
supplier with "Svizzera" rose



Art. 938

$\frac{3}{4}$ " F connection continuous
supplier with "Mask" rose




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 939

$\frac{3}{4}$ " F connection continuous
supplier with "Mask" rose




Art. 940

$\frac{1}{2}$ " F connection continuous
supplier with "Lion head
Mask" rose



Art. 941

$\frac{1}{2}$ " F connection continuous
supplier with "Lion head
Mask" rose



Art. 942

$\frac{1}{2}$ " M connection continuous
supplier with "Lion style
Mask" rose




**Brass
handles**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 943

1/2 " M connection tap
with "Lion style Mask"
rose




Art. 944

1/2 " M connection continuous
supplier with "Bacco style
Mask" rose



Art. 945

1/2 " M connection tap
With "Bacco style Mask"
rose




Art. 946

1/2 " M connection tap
with "India style Mask"
rose




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 947
½ " M connection tap
with "Peru style Mask" rose



Art. 948
Fish for fountain



Art. 949
Frog for fountain



Art. 950
Tap with cock handle




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 951
Tap with bird handle



Art. 952
Tap with snail handle



Art. 953
Tap with duck handle




Art. 954
Tap with dolphin handle




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line



Art. 955
Tap with cat handle



Art. 956
Tap with
horse handle



Art. 957
Tap with
turtle handle




Art. 958
Tap with
elephant handle


Art. 959
Tap with
owl handle



Art. 960
1/2" M connection
push- button tap
for fountain



Art. 961
1/2" M connection
self-closing tap






Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line



Art. 962
½" M connection
push- button tap
for fountain



Art. 963
½" M connection
push- button tap
for fountain



Art. 964
Jet valve
Ø 17 x h 36 – ¼ "



Art. 970
Rose with hole
for ½ " M
Ø 55



Art. 971
Rose with hole
for ½ " M
Ø 63



Art. 972
Rose with hole
for ½ " M

Art.	Ø
972	76
972A	115



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 973
Rose with hole
for ½ " M
Ø 63




Art. 974
Rose with hole
for ½ " M
Ø 97



Art. 980 - 981
"Drinking water" plate
"Non-drinking water"



Art. 985
Letter box




Art. 986
Brass letter plate




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Artistic Line




Art. 990
Renaissance style
door-knocker



Art. 991
English style
door-knocker



Art. 992
Hand style
door-knocker



Art. 993
Hand style
door-knocker




Brass
handles


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line




Art. 994
Luigi XVI style
door-knocker



Art. 995
Impero style
door-knocker



Art. 998
Pocket size
corkscrew




Art. 999
Wall corkscrew




Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Artistic Line



Art. 1000
Numbered plates



Art. 1010
Paper-cutter



Art. 1011
Paper-cutter



Art. 1012
Bottle-opener



Art. 1013
Bottle-opener



Art. 1014
Corkscrew



Art. 1015
Corkscrew



Brass
handles

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@feitaliaonline.it



Artistic Line



Art. 1016
Bottle-opener



Art. 1017
Bottle-opener



Art. 1018
Bottle-opener




Art. 1016
Bottle-opener



Art. 1017
Bottle-opener



Art. 1018
Bottle-opener



Catalogue 4

**ABS handles,
components and
shower heads
+ ABS plating**



ABS handles and ABS components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Handles

In case of order, please, specify:

- a) Type of internal broaching (8x20, 8x24. etc.);
- b) Internal height

Pour vos commandes, à spécifier:

- a) Broche intérieur (8x20, 8x24, etc.)*
- b) Hauteur intérieur du croisillons.*



Tulipano

Art. 01/A Acrylic/Chromium-plated inside

Art. 01/B Acrylic/Black inside



Primula

Art. 02/A Acrylic/Chromium-plated inside

Art. 02/B Acrylic/Black inside



Germal

Art. 05 Acrylic/Chromium-plated inside



Quadrifoglio

Art. 08/A Acrylic/Chromium-plated inside

Art. 08/B Acrylic/Black inside



ABS handles and ABS components

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



ABS Chromium-plating

Handles



Luxus

Art. 10

Acrylic/Chromium-plated inside with release insert

Broach 8/10, 8/12, 8/18, 8/20, 8/24



Eco

Art. 14

ABS chromium plated handle



Triangolare (Triangular)

Art. 15

ABS chromium-plated triangular handle



Triangolare (Rounded Triangular)

Art. 15/A

ABS chromium-plated rounded triangular handle



2 sides

Art. 17

ABS chromium-plated handle



**ABS handles
and ABS
components**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



ABS Chromium-plating

Levers



Art. 109/A

Chromium-plated lever with oval plated insert
available with square 9 and square 7



Art. 109/B

Chromium-plated lever with plated "petite" model insert
available with square 9 and square 7



Art. 109/C

Chromium-plated lever with red and blue
"petite" model insert
available with square 9 and square 7



Art. 109/D

Chromium-plated lever available with square 9



Art. 110

Chromium-plated lever with plated insert
available with square 9 and square 7



ABS handles
and ABS
components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Levers



Art. 111

Chromium-plated lever with plated insert
available with square 9 and square 7



Art. 112

Chromium-plated lever
available with square 9 and square 7



Art. 113

Chromium-plated lever
available with square 10 and square 8



Art. 114

Chromium-plated lever
available with square 9



Art. 115

Chromium-plated lever
available with square 9



ABS handles
and ABS
components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Levers



Art. 116
Chromium-plated lever
available with square 10



ABS handles
and ABS
components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower heads



ABS chromium-plated easy clean,
single jet shower head,
Ø 200 mm h 20 mm, with rubber clean

Art. **701/A** gray bottom rain shower disk

Art. **701/B** chromium-plated bottom rain shower disk



ABS chromium-plated easy clean,
single jet shower head,
Ø 250 mm h 20 mm, with rubber clean

Art. **704** chromium-plated bottom rain shower disk



ABS chromium-plated easy clean,
single jet shower head,
Ø 300 mm h 20 mm, with rubber clean

Art. **705** chromium-plated bottom rain shower disk



ABS chromium plated easy clean
2 jets shower head
Ø 200 mm, h 20 mm, with rubber clean

Art. **702/A** gray bottom rain shower disk

Art. **702/B** chromium-plated bottom rain shower disk



ABS handles
and ABS
components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower heads



ABS chromium-plated easy clean,
single jet shower head,
square 150 mm h 20 mm, with rubber clean

Art. **700/A** gray bottom rain shower disk

Art. **700/B** chromium-plated bottom rain shower disk



ABS chromium-plated easy clean,
single jet shower head,
square 150 mm h 20 mm, with rubber clean

Art. **703/A** gray bottom rain shower disk

Art. **703/B** chromium-plated bottom rain shower disk



ABS handles
and ABS
components

ABS Chromium-plating

Sliding bar

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Art. 800

ABS plated sliding bar shower holder Ø 28
with brass or steel pipe



**ABS handles
and ABS
components**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



ABS Chromium-plating

Wall brackets



Art. 401/A
ABS chromium plated fixed wall bracket



Art. 401/A
ABS Black or white fixed wall bracket



Art. 402
Jointed wall bracket suitable for
conical and knurled connection
made in ABS plated



Art. 403/A
ABS economical chromium-plated fixed wall bracket

Art. 403/B
ABS economical black or white fixed wall bracket



Art. 404
ABS chromium-plated revolving bracket



ABS handles and ABS components

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




ABS Chromium-plating



Accessories

Art. 207

ABS chromium-plated cover plate for mixers
ext. diam 48,5 – int. diam. 45



Art. 300

Blue and red rings

Article	Ø esternal
300/26	26
300/30	30
300/35	35
300/36	36
300/39	39



Art. 305

ABS cover plates

Article	esternal Ø	internal Ø	finishing
305/33	33	27	plated
305/36	36	30	Polished or satin finished
305/24	24	19	plated



ABS Chromium-plated nut

Art. 301/40

Ø 40 male threading 37x1,5

Art. 301/41

Ø 41 male threading 37x1,5

Art. 301/42

Ø 42 female threading 37x1,5

Art. 301/46

Ø 46 female threading 42x19

Art. 301/48

Ø 48 female threading 42x19

Art. 301/50

Ø 50 female threading 45x19

Art. 301/48S

Ø 48 release cap



ABS handles and ABS components

ABS Chromium-plating

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Accessories



Art. 302
Non- return valve Ø 15



Art. 303
ABS chromium-plated bath tub diverter knob,
with and without stop

Internal threading	M3	M4	M5
--------------------	----	----	----



Art. 304
ABS chromium-plated pop-up waste knob

Internal threading	M3	M4	M5
--------------------	----	----	----



Art. 502
ABS chromium-plated threaded sleeve



Art. 501
ABS chromium-plated rose Ø 75



ABS handles and ABS components

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



ABS Chromium-plating

Accessories

ABS weight for flexible hoses



Art. 306/Ad.11

Weight gr. 130 for flexible hose Ø 11

Art. 306/Ad.10

Weight gr. 130 for flexible hose Ø 10

Art. 306/Ad.14

Weight gr. 130 for flexible hose Ø 14

Art. 306/Bd.11

Weight gr. 80 for flexible hose Ø 11

Art. 306/Bd.14

Weight gr. 80 for flexible hose Ø 14



Art. 500/A

ABS chromium-plated spout



Art. 500/B

ABS coloured spout



Art. 316

Chromium-plated washbasin pillar tap
Made completely in plastic

Available with ½" or ¾" connection

It could be supplied in two versions:

- The body only
- Complete with brass headworks and ABS handle



ABS handles
and ABS
components

ABS Chromium-plating


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Plating Plant

This firm uses a modern galvanic plant to plate the plastic products, specialized in faucets and fittings fields

Une moderne installation de chromage pour les pièces en matière plastique, uniquement spécialisées dans le secteur de la robinetterie





Catalogue 5

Die-casting



Die-casting

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



We show you some cast pieces which are available without any costs for tools
Nous vous présentons des pièces fondues qui sont disponibles sans participation aux coût des moules

Cartridges Ø 35



Art. 35.1



Art. 35.2



Art. 35.3



Art. 35.4



Art.35.6



Art. 35.6




Die-casting

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



We show you some cast pieces which are available without any costs for tools
Nous vous présentons des pièces fondues qui sont disponibles sans participation aux coût des moules

Cartridges Ø 40



Art. 40.1



Art. 40.2



Art. TRAD.1




Art. TRAD.2



Art. TRAD.3



Art. TRAD.Z1



Art. TRAD.MB1



Die-casting

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



We show you some cast pieces which are available without any costs for tools

Nous vous présentons des pièces fondues qui sont disponibles sans participation aux coût des moules



Art. SH.1



Art. SH.2



Art. SH.3



Die-casting

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



All the cast items we show here below are made by gravity casting in moulds. Moulds are manufactured on behalf of our customers and they belong to them exclusively.


Toutes les pièces fondues que nous présentons sont obtenues par fusion en gravité en coquille. Les moules sont fabriqués exprès pour nos clients et ils sont leur propriété exclusive.





Die-casting


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



All the cast items we show here below are made by gravity casting in moulds. Moulds are manufactured on behalf of our customers and they belong to them exclusively.

Toutes les pièces fondues que nous présentons sont obtenues par fusion en gravité en coquille. Les moules sont fabriqués exprès pour nos clients et ils sont leur propriété exclusive.





Catalogue 6

Machining for casting and stamping



**Machining
for casting
and stamping**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Only to show you, we present you some machined pieces. It's possible to machine the too.


À titre d'exemple, nous vous présentons des pièces usinées. Il est possibles l'usinages des corps fondus ou estampés et l'usinage d'autres pièces selon vostre plan aussi.






Machining
for casting
and stamping

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Only to show you, we present you some machined pieces. It's possible to machine the too.

À titre d'exemple, nous vous présentons des pièces usinées. Il est possibles l'usinages des corps fondus ou estampés et l'usinage d'autres pièces selon votre plan aussi.





Machining
for casting
and stamping

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Only to show you, we present you some machined pieces. It's possible to machine the too.

À titre d'exemple, nous vous présentons des pièces usinées. Il est possibles l'usinages des corps fondus ou estampés et l'usinage d'autres pièces selon votre plan aussi.





Catalogue 7

Various





Various



Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it






Headworks Traditional



Item	Broach x h		Threading	diameter
V03/78x20V	8x20	9	4MA	16
V03/B8x24V	8x24	6,5	3/16W	16



Item	Broach x h		Threading	diameter
V010/78x20V	8x20	9	4MA	16
V010/B8x24V	8x24	6,5	3/16W	16



Item	Broach x h		Threading	diameter
V020/78x20P	8x20	9	4MA	18
V020/B8x24P	8x24	6,5	3/16W	18




Various

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Headworks Traditional




Item	Broach x h		Threading	diameter
V020/78x20VG	8x20	11,7	4MA	16

Ceramic disks



Item	Broach x h		Threading
V180/75x20D-S	75x20	9	4MA
V180/8x24D-S	8x24	6,5	3/16W
VCR/75x20D-S	75x20	9	4MA
VRC/8x24D-S	8x24	6,5	3/16W

Under washbasin



Item	square	Threading	diameter
0304	5	4MA	10