



CACCIATORI

Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 – Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.

Spouts



1

Stainless steel and nylon flexible hoses




2

Brass handles



3

ABS handles, components and shower heads + ABS plating



4

Die-casting



5

Machining for casting



6

Various



7

CACCIATORI



Via Alle Fabbriche, 7 – I-28010 Nebbiuno (No) – Italia


Tel +39 0322 58588 – Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

- Sales and invoicing are made by every manufacturer directly.
- La vente et la facturation sont directes faites par chaque usine.
- Der Verkauf und die Rechnungsstellung sind direkt, d.h. sie werden von jedem Hersteller für die von ihm erzeugten Produkte ausgeführt.

Polishing and grinding machines – Rotary tables – Robot stations buffs and components for polishing




A

**Test benches
Assembly lines**



B

**Hydraulic
test
benches**



C



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, June 2025

Dear Sirs,

We are glad to submit you our documentation. They are several catalogues, which show the items manufactured by the respective factories.

For those who do not know us, we must present ourselves. Since 1975 we are charged with these business, managed by the family: the father (Francesco) and the children (Ferdinando and Ilaria).

To complete the presentation:

1. All the factories are only specialized in the sole manufacturing of the items that are represented in their catalogue.
2. The sales are direct from every factory. Each firm will invoice its own sales. (It is impossible to group in an only invoice items manufactured by two or more firms).
3. Our duties consist in co-ordinate the commercial activity of these factories. These manufacturers are of middle-little dimensions (with some exception).

Our co-operation offers some advantages: an only interlocutor for several products and firms; an important point of reference on the spot specialized in the production; a co-operation every time and for everything you need.

On your demand, we are able to send you some additional information, some offers and samples.

About some offers, we beg you to indicate us: items, denominations, catalogues, pages and quantities.

Besides, we are *glad to present you an exemplification of the machines* that you could be interesting for faucets' machining and finishing. The complete documentation is available on your request.

On your demand, *if you indicate us your specific request about the machines you are interested*, we will submit you our best proposal that is more suitable to your requirements.

We can assure you that all these suppliers of machines are well known and their customers are all over the world.

We are at your disposal for further information and we give you our best regards.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)



ILARIA DANIELA CACCIATORI

Via Alle Fabbriche, 7 - I-28010 Nebbiuno (No) – Italia

Tel +39 0322 58588 –Fax +39 0322 58588

e-mail: info@ilariacacciatori.it - e-mail: info@fcitaliaonline.it

web site: www.ilariacacciatori.it – www.fcitaliaonline.it

Nebbiuno, Juin 2021

Messieurs,

Nous avons le plaisir de vous envoyer notre documentation. Il s'agit des plusieurs catalogues qui présentent les produits fabriqués par les usines respectives.

Pour ceux qui nous ne connaissent pas, nous avons le devoir de nous présenter. Depuis 1975, nous sommes chargés de ces affaires, gérées par la famille : le père (Francesco) et les enfants (Ferdinando et Ilaria).

Et pour compléter la présentation, nous vous précisons que :

1. chaque usine est uniquement spécialisée dans la seule fabrication des articles insérés dans son catalogue ;
2. les ventes sont directes par chaque usine. Chaque usine facturera ses ventes. (Il n'est pas possible de grouper dans une seule facture des produits de deux ou plusieurs fabricants) ;
3. nos fonctions consistent à coordonner l'activité commerciale de ces usines. Les usines ont des dimensions moyennes-petites (avec des exceptions).

Notre collaboration présente beaucoup d'avantages : un seul interlocuteur pour plusieurs produits et usines ; un important appui au site spécialisé dans la fabrication et la coopération chaque fois qu'il le faut !

Sur votre demande nous sommes en mesure de vous envoyer tous renseignements complémentaires, des offres et des échantillons.

Pour ces offres, nous vous prions de nous spécifier : articles, dénominations, catalogues, pages et quantités.

En plus, nous avons le plaisir de vous soumettre une exemplification des machines auxquelles vous pourriez être intéressés pour l'usinage et la finition des robinets. La documentation complète est disponible sur votre demande


Si vous nous indiquez votre particulier demande concernant les machines auxquelles vous êtes intéressés, nous vous enverrons notre meilleure proposition qui sera plus correspondant à votre requête.

Nous vous assurons que toutes ces usines, fabricantes des machines, sont bien connues et que leurs clients sont dans le monde entier.

Nous restons à votre disposition pour tous renseignements complémentaires et nous vous prions de trouver ici, Messieurs, l'expression de nos sentiments les meilleurs.

Ilaria Cacciatori

Domicilio fiscale in Nebbiuno - CCIAA Novara 0182324 - P.IVA IT 08379640157
Cod.Fisc.CCCLDN68E41F205Y – Iscrizione Registro Imprese Novara No. 154277
Residenza anagrafica Via alle fabbriche, 7 28010 Nebbiuno (No)



Catalogue 2

**Stainless steel
and Nylon**

Flexible hoses



Stainless steel
and nylon
flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Certifications

Silicon Liner conforms to:

Italy



UK



enmark

Denmark



Sweden

VA APPROVAL



France



Italian Voluntary mark



Germany



Switzerland



The Netherland



USA




On request, it is possible supplying

**Lead-free brass
Brass fittings**







Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@feitaliaonline.it










Available diameters

Flexible hoses



Antivibration hoses





Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Products

Female (G= inserted
gasket on request)



Male



Extended Male
with Teflon ring



Revolving
Male 15x1



Revolving Male



Extended revolving
Male



Male with OR 8x1
18 mm 10x1, 12x1
on request



Male with OR
10x1 45-75 mm
10x1, 12x1
on request



Straight connector
LR Ø 10/9,7
Ø 8 and Ø 12 on request



Compression Male
connect Ø 10 nut and
ring 3 pieces, Ø 8 and
Ø 12 on request



Male revolving
elbow RO. 90°

Patented



Female revolving
elbow R.O. 90°

Patented



Revolving conical ½"
Female H 40

Patented



Twist: revolving and
jointed conical ½"

Female

Patented



Aqua-stop: fitting with
Non-return function



Flow stabilizer:

Fitting with
function of
flow stabilizer

- 4 l/min
- 6 l/min
- 8 l/min
- 10 l/min



Quick connection Ø 10,
Ø12 and Ø 15 on request



Hemispherical fittings
¼", 1/8", 3/8" for coffee
machines



Knurled Female fitting




½" conical Female nut






**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



EPX Pluri cert



Latest generation flexible hoses made using ec-friendly materials,
Respecting the environment.

Excellent endurance and highest reliability guarantee by the new
internal liner.

Technical Data:

For hydro-sanitary use only

Operating use range: from 5° C to max 90° C

Max operating pressure 10 bar

10 years warranty

Different types of fittings

Diameter: DN6-DN8

Pluri-certified Liner






Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series



Technical data:
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 6
External Ø 10
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN6			200	X1 304.200
			250	X1 304.250
			300	X1 304.300
			350	X1 304.350
			400	X1 304.400
			450	X1 304.450
			500	X1.304.500
			600	X1 304.600
			800	X1 304.800
			1000	X1 304.1000
DN6			200	X1 301.200
			250	X1 301.250
			300	X1 301.300
			350	X1 301.350
			400	X1 301.400
			450	X1 301.450
			500	X1 301.500
			600	X1 301.600
			800	X1 301.800
			1000	X1.301.1000
DN6			200	X1 300.200
			250	X1 300.250
			300	X1 300.300
			350	X1 300.350
			400	X1 300.400
			450	X1 300.450
			500	X1 300.500
			600	X1 300.600
			800	X1 300.800
			1000	X1 300.1000
DN6			200	X1 313.200
			250	X1 313.250
			300	X1 313.300
			350	X1 313.350
			400	X1 313.400
			450	X1 313.450
			500	X1 313.500
			600	X1.313.600
			800	X1 313.800
			1000	X1 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	 M 3/8"	 F 1/2"	200	X1 314.200
			250	X1 314.250
			300	X1 314.300
			350	X1 314.350
			400	X1 314.400
			450	X1 314.450
			500	X1.314.500
			600	X1 314.600
			800	X1 314.800
			1000	X1 314.1000
DN6	 Elbow F 3/8"	 F 3/8"	200	X1 311.200
			250	X1 311.250
			300	X1 311.300
			350	X1 311.350
			400	X1 311.400
			450	X1 311.450
			500	X1 311.500
			600	X1 311.600
			800	X1 311.800
			1000	X1.311.1000
DN6	 Elbow F 3/8"	 F 1/2"	200	X1 302.200
			250	X1 302.250
			300	X1 302.300
			350	X1 302.350
			400	X1 302.400
			450	X1 302.450
			500	X1 302.500
			600	X1 302.600
			800	X1 302.800
			1000	X1 302.1000
DN6	 Elbow F 3/8"	 M 1/2"	200	X1 357.200
			250	X1 357.250
			300	X1 357.300
			350	X1 357.350
			400	X1 357.400
			450	X1 357.450
			500	X1 357.500
			600	X1.357.600
			800	X1 357.800
			1000	X1 357.1000
DN6	 Elbow F 1/2"	 F 3/8"	200	X1 416.200
			250	X1 416.250
			300	X1 416.300
			350	X1 416.350
			400	X1 416.400
			450	X1 416.450
			500	X1 416.500
			600	X1 416.600
			800	X1 416.800
			1000	X1 416.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	 Elbow F 1/2"	 F 1/2"	200	X1 329.200
			250	X1 329.250
			300	X1 329.300
			350	X1 329.350
			400	X1 329.400
			450	X1 329.450
			500	X1.329.500
			600	X1 329.600
			800	X1 329.800
			1000	X1 329.1000
DN6	 Elbow F 1/2"	 M 1/2"	200	X1 316.200
			250	X1 316.250
			300	X1 316.300
			350	X1 316.350
			400	X1 316.400
			450	X1 316.450
			500	X1 316.500
			600	X1 316.600
			800	X1 316.800
			1000	X1.316.1000
DN6	 M 8x1 mm 18 (7A)	 F 3/8"	200	X1 070.200
			250	X1 070.250
			300	X1 070.300
			350	X1 070.350
			400	X1 070.400
			450	X1 070.450
			500	X1 070.500
			600	X1 070.600
			800	X1 070.800
			1000	X1 070.1000
DN6	 M 8x1 mm 18 (7A)	 F 1/2"	200	X1 075.200
			250	X1 075.250
			300	X1 075.300
			350	X1 075.350
			400	X1 075.400
			450	X1 075.450
			500	X1 075.500
			600	X1.075.600
			800	X1 075.800
			1000	X1 075.1000
DN6	 M 8x1 mm 18 (7A)	 Straight connection LR Ø 10/9.7	200	X1 073.200
			250	X1 073.250
			300	X1 073.300
			350	X1 073.350
			400	X1 073.400
			450	X1 073.450
			500	X1 073.500
			600	X1 073.600
			800	X1 073.800
			1000	X1 073.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	M 8x1 mm 45 (7B) 	F 3/8" 	200	X1 090.200
			250	X1 090.250
			300	X1 090.300
			350	X1 090.350
			400	X1 090.400
			450	X1 090.450
			500	X1.090.500
			600	X1 090.600
			800	X1 090.800
			1000	X1 090.1000
DN6	M 8x1 mm 45 (7B) 	F 1/2" 	200	X1 096.200
			250	X1 096.250
			300	X1 096.300
			350	X1 096.350
			400	X1 096.400
			450	X1 096.450
			500	X1 096.500
			600	X1 096.600
			800	X1 096.800
			1000	X1.096.1000
DN6	M 8x1 mm 45 (7B) 	Straight connection LR Ø 10/9.7 	200	X1 098.200
			250	X1 098.250
			300	X1 098.300
			350	X1 098.350
			400	X1 098.400
			450	X1 098.450
			500	X1 098.500
			600	X1 098.600
			800	X1 098.800
			1000	X1 098.1000
DN6	Straight connection LR Ø 10/9.7 	F 3/8" 	200	X1 422.200
			250	X1 422.250
			300	X1 422.300
			350	X1 422.350
			400	X1 422.400
			450	X1 422.450
			500	X1 422.500
			600	X1.422.600
			800	X1 422.800
			1000	X1 422.1000
DN6	Straight connection LR Ø 10/9.7 	F 1/2" 	200	X1 348.200
			250	X1 348.250
			300	X1 348.300
			350	X1 348.350
			400	X1 348.400
			450	X1 348.450
			500	X1 348.500
			600	X1 348.600
			800	X1 348.800
			1000	X1 348.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN6 Series

DN	Fitting	Fitting	Length mm	code
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X1 502.200
			250	X1 502.250
			300	X1 502.300
			350	X1 502.350
			400	X1 502.400
			450	X1 502.450
			500	X1.502.500
			600	X1 502.600
			800	X1 502.800
			1000	X1 502.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X1 399.200
			250	X1 399.250
			300	X1 399.300
			350	X1 399.350
			400	X1 399.400
			450	X1 399.450
			500	X1 399.500
			600	X1 399.600
			800	X1 399.800
			1000	X1.399.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X1 506.200
			250	X1 506.250
			300	X1 506.300
			350	X1 506.350
			400	X1 506.400
			450	X1 506.450
			500	X1 506.500
			600	X1 506.600
			800	X1 506.800
			1000	X1 506.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X1 505.200
			250	X1 505.250
			300	X1 505.300
			350	X1 505.350
			400	X1 505.400
			450	X1 505.450
			500	X1 505.500
			600	X1.505.600
			800	X1 505.800
			1000	X1 505.1000
DN6	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Straight connection LR Ø 10/9.7 	200	X1 319.200
			250	X1 319.250
			300	X1 319.300
			350	X1 319.350
			400	X1 319.400
			450	X1 319.450
			500	X1 319.500
			600	X1 319.600
			800	X1 319.800
			1000	X1 319.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series



Technical data:

Operating temperature range:

From 5° C to max 90 ° C

Max operating pressure 10 bar

Internal liner made by EPDM rubber Ø 8

External Ø 12

AISI 304 stainless steel braiding

Minimum guarantee coating 95%

Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN8			200	X2 304.200
			250	X2 304.250
			300	X2 304.300
			350	X2 304.350
			400	X2 304.400
			450	X2 304.450
			500	X2.304.500
			600	X2 304.600
			800	X2 304.800
			1000	X2304.1000
DN8			200	X2 301.200
			250	X2 301.250
			300	X2 301.300
			350	X2 301.350
			400	X2 301.400
			450	X2 301.450
			500	X2 301.500
			600	X2 301.600
			800	X2 301.800
			1000	X2.301.1000
DN8			200	X2 300.200
			250	X2 300.250
			300	X2 300.300
			350	X2 300.350
			400	X2 300.400
			450	X2 300.450
			500	X2 300.500
			600	X2 300.600
			800	X2 300.800
			1000	X2 300.1000
DN8			200	X2 313.200
			250	X2 313.250
			300	X2 313.300
			350	X2 313.350
			400	X2 313.400
			450	X2 313.450
			500	X2 313.500
			600	X2.313.600
			800	X2 313.800
			1000	X2 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	 M 3/8"	 F 1/2"	200	X2 314.200
			250	X2 314.250
			300	X2 314.300
			350	X2 314.350
			400	X2 314.400
			450	X2 314.450
			500	X2.314.500
			600	X2 314.600
			800	X2 314.800
			1000	X2 314.1000
DN8	 M 1/2"	 F 3/8"	200	X2 312.200
			250	X2 312.250
			300	X2 312.300
			350	X2 312.350
			400	X2 312.400
			450	X2 312.450
			500	X2 312.500
			600	X2 312.600
			800	X2 312.800
			1000	X2.312.1000
DN8	 M 1/2"	 F 1/2"	200	X2 305.200
			250	X2 305.250
			300	X2 305.300
			400	X2 305.400
			450	X2 305.450
			500	X2 305.500
			600	X2 305.600
			800	X2 305.800
			1000	X2 305.1000
DN8	 Elbow F 3/8"	 F 3/8"	200	X2 311.200
			250	X2 311.250
			300	X2 311.300
			350	X2 311.350
			400	X2 311.400
			450	X2 311.450
			500	X2 311.500
			600	X2.311.600
			800	X2 311.800
			1000	X2 311.1000
DN8	 Elbow F 3/8"	 F 1/2"	200	X2 302.200
			250	X2 302.250
			300	X2 302.300
			350	X2 302.350
			400	X2 302.400
			450	X2 302.450
			500	X2 302.500
			600	X2 302.600
			800	X2 302.800
			1000	X2 302.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection


Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Elbow F 3/8" 	M 1/2" 	200	X2 357.200
			250	X2 357.250
			300	X2 357.300
			350	X2 357.350
			400	X2 357.400
			450	X2 357.450
			500	X2.357.500
			600	X2 357.600
			800	X2 357.800
			1000	X2 357.1000
DN8	Elbow F 1/2" 	F 3/8" 	200	X2 416.200
			250	X2 416.250
			300	X2 416.300
			350	X2 416.350
			400	X2 416.400
			450	X2 416.450
			500	X2 416.500
			600	X2 416.600
			800	X2 416.800
			1000	X2.416.1000
DN8	Elbow F 1/2" 	F 1/2 " 	200	X2 329.200
			250	X2 329.250
			300	X2 329.300
			350	X2 329.350
			400	X2 329.400
			450	X2 329.450
			500	X2 329.500
			600	X2 329.600
			800	X2 329.800
			1000	X2 329.1000
DN8	Elbow F 1/2" 	M 1/2" 	200	X2 316.200
			250	X2 316.250
			300	X2 316.300
			350	X2 316.350
			400	X2 316.400
			450	X2 316.450
			500	X2 316.500
			600	X2.316.600
			800	X2 316.800
			1000	X2 316.1000
DN8	M 10x1 mm 18 (6A) 	F 3/8" 	200	X2 010.200
			250	X2 010.250
			300	X2 010.300
			350	X2 010.350
			400	X2 010.400
			450	X2 010.450
			500	X2 010.500
			600	X2 010.600
			800	X2 010.800
			1000	X2 010.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	 M 10x1 mm 18 (6A)	 F 1/2"	200	X2 012.200
			250	X2 012.250
			300	X2 012.300
			350	X2 012.350
			400	X2 012.400
			450	X2 012.450
			500	X2.012.500
			600	X2 012.600
			800	X2 012.800
			1000	X2 012.1000
DN8	 M 10x1 mm 18 (6A)	 Straight connection LR Ø 10/9.7	200	X2 011.200
			250	X2 011.250
			300	X2 011.300
			350	X2 011.350
			400	X2 011.400
			450	X2 011.450
			500	X2 011.500
			600	X2 011.600
			800	X2 011.800
			1000	X2.011.1000
DN8	 M 10x1 mm 45 (6B)	 F 3/8"	200	X2 030.200
			250	X2 030.250
			300	X2 030.300
			350	X2 030.350
			400	X2 030.400
			450	X2 030.450
			500	X2 030.500
			600	X2 030.600
			800	X2 030.800
			1000	X2 030.1000
DN8	 M 10x1 mm 45 (6B)	 F 1/2"	200	X2 041.200
			250	X2 041.250
			300	X2 041.300
			350	X2 041.350
			400	X2 041.400
			450	X2 041.450
			500	X2 041.500
			600	X2.041.600
			800	X2 041.800
			1000	X2 041.1000
DN8	 M 10x1 mm 45 (6B)	 Straight connection LR Ø 10/9.7	200	X2 039.200
			250	X2 039.250
			300	X2 039.300
			350	X2 039.350
			400	X2 039.400
			450	X2 039.450
			500	X2 039.500
			600	X2 039.600
			800	X2 039.800
			1000	X2 039.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Straight connection LR Ø 10/9.7 	F 3/8" 	200	X2 422.200
			250	X2 422.250
			300	X2 422.300
			350	X2 422.350
			400	X2 422.400
			450	X2 422.450
			500	X2.422.500
			600	X2 422.600
			800	X2 422.800
			1000	X2 422.1000
DN8	Straight connection LR Ø 10/9.7 	F 1/2" 	200	X2 348.200
			250	X2 348.250
			300	X2 348.300
			350	X2 348.350
			400	X2 348.400
			450	X2 348.450
			500	X2 348.500
			600	X2 348.600
			800	X2 348.800
			1000	X2.348.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X2 502.200
			250	X2 502.250
			300	X2 502.300
			350	X2 502.350
			400	X2 502.400
			450	X2 502.450
			500	X2 502.500
			600	X2 502.600
			800	X2 502.800
			1000	X2 502.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X2 399.200
			250	X2 399.250
			300	X2 399.300
			350	X2 399.350
			400	X2 399.400
			450	X2 399.450
			500	X2 399.500
			600	X2.399.600
			800	X2 399.800
			1000	X2 399.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X2 506.200
			250	X2 506.250
			300	X2 506.300
			350	X2 506.350
			400	X2 506.400
			450	X2 506.450
			500	X2 506.500
			600	X2 506.600
			800	X2 506.800
			1000	X2 506.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@feitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X2 505.200
			250	X2 505.250
			300	X2 505.300
			350	X2 505.350
			400	X2 505.400
			450	X2 505.450
			500	X2.505 500
			600	X2 505.600
			800	X2 505.800
			1000	X2 505.1000
DN8	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Straight connection LR Ø 10/9.7 	200	X2 319.200
			250	X2 319.250
			300	X2 319.300
			350	X2 319.350
			400	X2 319.400
			450	X2 319.450
			500	X2 319.500
			600	X2 319.600
			800	X2 319.800
			1000	X2.319.1000
DN8	M 3/8" revolving 	F 3/8" 	200	X2 382.200
			250	X2 382.250
			300	X2 382.300
			350	X2 382.350
			400	X2 382.400
			450	X2 382.450
			500	X2 382.500
			600	X2 382.600
			800	X2 382.800
			1000	X2 382.1000
DN8	M 3/8" revolving 	F 1/2" 	200	X2 406.200
			250	X2 406.250
			300	X2 406.300
			350	X2 406.350
			400	X2 406.400
			450	X2 406.450
			500	X2 406.500
			600	X2.406.600
			800	X2 406.800
			1000	X2 406.1000
DN8	M 1/2" revolving 	F 3/8" 	200	X2 383.200
			250	X2 383.250
			300	X2 383.300
			350	X2 383.350
			400	X2 383.400
			450	X2 383.450
			500	X2 383.500
			600	X2 383.600
			800	X2 383.800
			1000	X2 383.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	M 1/2" revolving 	F 1/2" 	200	X2 401.200
			250	X2 401.250
			300	X2 401.300
			350	X2 401.350
			400	X2 401.400
			450	X2 401.450
			500	X2.401.500
			600	X2 401.600
			800	X2 401.800
			1000	X2 401.1000
DN8	M 3/8" revolving 	M 3/8" inserted gasket 	200	X2 382G.200
			250	X2 382G.250
			300	X2 382G.300
			350	X2 382G.350
			400	X2 382G.400
			450	X2 382G.450
			500	X2 382G.500
			600	X2 382G.600
			800	X2 382G.800
			1000	X2.382G.1000
DN8	M 3/8" revolving 	F 1/2" inserted gasket 	200	X2 406G.200
			250	X2 406G.250
			300	X2 406G.300
			350	X2 406G.350
			400	X2 406G.400
			450	X2 406G.450
			500	X2 406G.500
			600	X2.406G.600
			800	X2 406G.800
			1000	X2 406G.1000
DN8	M 1/2" revolving 	F 3/8" inserted gasket 	200	X2 383G.200
			250	X2 383G.250
			300	X2 383G.300
			350	X2 383G.350
			400	X2 383G.400
			450	X2 383G.450
			500	X2 383G.500
			600	X2 383G.600
			800	X2 383G.800
			1000	X2 383G.1000
DN8	M 1/2" revolving 	F 1/2" inserted gasket 	200	X2 401G.200
			250	X2 401G.250
			300	X2 401G.300
			350	X2 401G.350
			400	X2 401G.400
			450	X2 401G.450
			500	X2.401G.500
			600	X2 401G.600
			800	X2 401G.800
			1000	X2 401G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Extended M 1/2" + teflon 	F 3/8" 	200	X2 441.200
			250	X2 441.250
			300	X2 441.300
			350	X2 441.350
			400	X2 441.400
			450	X2 441.450
			500	X2.441 500
			600	X2 441.600
			800	X2 441.800
			1000	X2 441.1000
DN8	Extended M 1/2" + teflon 	F 1/2" 	200	X2 442.200
			250	X2 442.250
			300	X2 442.300
			350	X2 442.350
			400	X2 442.400
			450	X2 442.450
			500	X2.442 500
			600	X2 442.600
			800	X2 442.800
			1000	X2 442.1000
DN8	Extended M 1/2" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X2 443.200
			250	X2 443.250
			300	X2 443.300
			350	X2 443.350
			400	X2 443.400
			450	X2 443.450
			500	X2.443 500
			600	X2 443.600
			800	X2 443.800
			1000	X2 443.1000
DN8	Extended M 1/2" + teflon 	F 3/8" inserted gasket 	200	X2 441G.200
			250	X2 441G.250
			300	X2 441G.300
			350	X2 441G.350
			400	X2 441G.400
			450	X2 441G.450
			500	X2.441G 500
			600	X2 441G.600
			800	X2 441G.800
			1000	X2 441G.1000
DN8	Extended M 1/2" + teflon 	F 1/2" inserted gasket 	200	X2 442G.200
			250	X2 442G.250
			300	X2 442G.300
			350	X2 442G.350
			400	X2 442G.400
			450	X2 442G.450
			500	X2.442G 500
			600	X2 442G.600
			800	X2 442G.800
			1000	X2 442G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Extended revolving M 1/2" 	F 3/8" 	200	X2 510.200
			250	X2 510.250
			300	X2 510.300
			350	X2 510.350
			400	X2 510.400
			450	X2 510.450
			500	X2.510 500
			600	X2 510.600
			800	X2 510.800
			1000	X2 510.1000
DN8	Extended revolving M 1/2" 	F 1/2" 	200	X2 511.200
			250	X2 511.250
			300	X2 511.300
			350	X2 511.350
			400	X2 511.400
			450	X2 511.450
			500	X2.511 500
			600	X2 511.600
			800	X2 511.800
			1000	X2 511.1000
DN8	Extended revolving M 1/2" 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X2 512.200
			250	X2 512.250
			300	X2 512.300
			350	X2 512.350
			400	X2 512.400
			450	X2 512.450
			500	X2.512 500
			600	X2 512.600
			800	X2 512.800
			1000	X2 512.1000
DN8	Extended revolving M 1/2" 	F 3/8" inserted gasket 	200	X2 510G.200
			250	X2 510G.250
			300	X2 510G.300
			350	X2 510G.350
			400	X2 510G.400
			450	X2 510G.450
			500	X2.510G 500
			600	X2 510G.600
			800	X2 510G.800
			1000	X2 510G.1000
DN8	Extended revolving M 1/2" 	F 1/2" inserted gasket 	200	X2 511G.200
			250	X2 511G.250
			300	X2 511G.300
			350	X2 511G.350
			400	X2 511G.400
			450	X2 511G.450
			500	X2.511G 500
			600	X2 511G.600
			800	X2 511G.800
			1000	X2 511G.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN8 Series

DN	Fitting	Fitting	Length mm	code
DN8	Revolving M 1/2" elbow R.O. 90° 	F 3/8" 	200	X2 513.200
			250	X2 513.250
			300	X2 513.300
			350	X2 513.350
			400	X2 513.400
			450	X2 513.450
			500	X2.513 500
			600	X2 513.600
			800	X2 513.800
			1000	X2 513.1000
DN8	Revolving M 1/2" elbow R.O. 90° 	F 1/2" 	200	X2 474.200
			250	X2 474.250
			300	X2 474.300
			350	X2 474.350
			400	X2 474.400
			450	X2 474.450
			500	X2.474 500
			600	X2 474.600
			800	X2 474.800
			1000	X2 474.1000
DN8	Revolving F 1/2" elbow R.O. 90° 	M 3/8" 	200	X2 514.200
			250	X2 514.250
			300	X2 514.300
			350	X2 514.350
			400	X2 514.400
			450	X2 514.450
			500	X2.514 500
			600	X2 514.600
			800	X2 514.800
			1000	X2 514.1000
DN8	Revolving F 1/2" elbow R.O. 90° 	M 1/2" 	200	X2 515.200
			250	X2 515.250
			300	X2 515.300
			350	X2 515.350
			400	X2 515.400
			450	X2 515.450
			500	X2.515 500
			600	X2 515.600
			800	X2 515.800
			1000	X2 515.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series



Technical data:
For hydro-sanitary use only
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 9,5
External Ø 14
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves

G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN10			200	X3 304.200
			250	X3 304.250
			300	X3 304.300
			350	X3 304.350
			400	X3 304.400
			450	X3 304.450
			500	X3.304.500
			600	X3 304.600
			800	X3 304.800
			1000	X3 304.1000
DN10			200	X3 301.200
			250	X3 301.250
			300	X3 301.300
			350	X3 301.350
			400	X3 301.400
			450	X3 301.450
			500	X3 301.500
			600	X3 301.600
			800	X3 301.800
			1000	X3.301.1000
DN10			200	X3 300.200
			250	X3 300.250
			300	X3 300.300
			350	X3 300.350
			400	X3 300.400
			450	X3 300.450
			500	X3 300.500
			600	X3 300.600
			800	X3 300.800
			1000	X3 300.1000
DN10			200	X3 313.200
			250	X3 313.250
			300	X3 313.300
			350	X3 313.350
			400	X3 313.400
			450	X3 313.450
			500	X3 313.500
			600	X3.313.600
			800	X3 313.800
			1000	X3 313.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	 M 3/8"	 F 1/2"	200	X3 314.200
			250	X3 314.250
			300	X3 314.300
			350	X3 314.350
			400	X3 314.400
			450	X3 314.450
			500	X3.314.500
			600	X3 314.600
			800	X3 314.800
			1000	X3 314.1000
DN10	 M 1/2"	 F 3/8"	200	X3 312.200
			250	X3 312.250
			300	X3 312.300
			350	X3 312.350
			400	X3 312.400
			450	X3 312.450
			500	X3 312.500
			600	X3 312.600
			800	X3 312.800
			1000	X3.312.1000
DN10	 M 1/2"	 F 1/2"	200	X3 305.200
			250	X3 305.250
			300	X3 305.300
			400	X3 305.400
			450	X3 305.450
			500	X3 305.500
			600	X3 305.600
			800	X3 305.800
			1000	X3 305.1000
DN10	 Extended M 3/8"	 F 3/8"	200	X3 326.200
			250	X3 326.250
			300	X3 326.300
			350	X3 326.350
			400	X3 326.400
			450	X3 326.450
			500	X3 326.500
			600	X3.326.600
			800	X3 326.800
			1000	X3 326.1000
DN10	 Extended M 3/8"	 F 1/2"	200	X3 325.200
			250	X3 325.250
			300	X3 325.300
			350	X3 325.350
			400	X3 325.400
			450	X3 325.450
			500	X3 325.500
			600	X3 325.600
			800	X3 325.800
			1000	X3 325.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended M 1/2" 	F 3/8" 	200	X3 323.200
			250	X3 323.250
			300	X3 323.300
			350	X3 323.350
			400	X3 323.400
			450	X3 323.450
			500	X3.323.500
			600	X3 323.600
			800	X3 323.800
			1000	X3 323.1000
DN10	Extended M 1/2" 	F 1/2" 	200	X3 322.200
			250	X3 322.250
			300	X3 322.300
			350	X3 322.350
			400	X3 322.400
			450	X3 322.450
			500	X3 322.500
			600	X3 322.600
			800	X3 322.800
			1000	X3.322.1000
DN10	Extended revolving M 1/2" 	F 3/8" 	200	X3 510.200
			250	X3 510.250
			300	X3 510.300
			350	X3 510.350
			400	X3 510.400
			450	X3 510.450
			500	X3 510.500
			600	X3 510.600
			800	X3 510.800
			1000	X3 510.1000
DN10	Extended revolving M 1/2" 	F 1/2" 	200	X3 511.200
			250	X3 511.250
			300	X3 511.300
			350	X3 511.350
			400	X3 511.400
			450	X3 511.450
			500	X3 511.500
			600	X3.511.600
			800	X3 511.800
			1000	X3 511.1000
DN10	Extended revolving M 1/2" 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 512.200
			250	X3 512.250
			300	X3 512.300
			350	X3 512.350
			400	X3 512.400
			450	X3 512.450
			500	X3 512.500
			600	X3.512.600
			800	X3 512.800
			1000	X3 512.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended revolving M 1/2" 	F 3/8" inserted gasket 	200	X3 510G.200
			250	X3 510G.250
			300	X3 510G.300
			350	X3 510G.350
			400	X3 510G.400
			450	X3 510G.450
			500	X3 510G.500
			600	X3 510G.600
			800	X3 510G.800
			1000	X3 510G.1000
DN10	Extended revolving M 1/2" 	F 1/2" inserted gasket 	200	X3 511G.200
			250	X3 511G.250
			300	X3 511G.300
			350	X3 511G.350
			400	X3 511G.400
			450	X3 511G.450
			500	X3 511G.500
			600	X3 511G.600
			800	X3 511G.800
			1000	X3 511G.1000
DN10	Extended M 3/8" + teflon 	F 3/8" 	200	X3 444.200
			250	X3 444.250
			300	X3 444.300
			350	X3 444.350
			400	X3 444.400
			450	X3 444.450
			500	X3 444.500
			600	X3 444.600
			800	X3 444.800
			1000	X3 444.1000
DN10	Extended M 3/8" + teflon 	F 1/2" 	200	X3 445.200
			250	X3 445.250
			300	X3 445.300
			350	X3 445.350
			400	X3 445.400
			450	X3 445.450
			500	X3 445.500
			600	X3 445.600
			800	X3 445.800
			1000	X3 445.1000
DN10	Extended M 1/2" + teflon 	F 3/8" 	200	X3 441.200
			250	X3 441.250
			300	X3 441.300
			350	X3 441.350
			400	X3 441.400
			450	X3 441.450
			500	X3 441.500
			600	X3 441.600
			800	X3 441.800
			1000	X3 441.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Extended M 1/2" + teflon 	F 1/2" 	200	X3 442.200
			250	X3 442.250
			300	X3 442.300
			350	X3 442.350
			400	X3 442.400
			450	X3 442.450
			500	X3 442.500
			600	X3 442.600
			800	X3 442.800
			1000	X3 442.1000
DN10	Extended M 3/8" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 446.200
			250	X3 446.250
			300	X3 446.300
			350	X3 446.350
			400	X3 446.400
			450	X3 446.450
			500	X3 446.500
			600	X3 446.600
			800	X3 446.800
			1000	X3 446.1000
DN10	Extended M 1/2" + teflon 	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	200	X3 443.200
			250	X3 443.250
			300	X3 443.300
			350	X3 443.350
			400	X3 443.400
			450	X3 443.450
			500	X3 443.500
			600	X3 443.600
			800	X3 443.800
			1000	X3 443.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 3/8" 	200	X3 502.200
			250	X3 502.250
			300	X3 502.300
			350	X3 502.350
			400	X3 502.400
			450	X3 502.450
			500	X3 502.500
			600	X3 502.600
			800	X3 502.800
			1000	X3 502.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 3/8" 	200	X3 506.200
			250	X3 506.250
			300	X3 506.300
			350	X3 506.350
			400	X3 506.400
			450	X3 506.450
			500	X3 506.500
			600	X3 506.600
			800	X3 506.800
			1000	X3 506.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	F 1/2" 	200	X3 399.200
			250	X3 399.250
			300	X3 399.300
			350	X3 399.350
			400	X3 399.400
			450	X3 399.450
			500	X3 399.500
			600	X3 399.600
			800	X3 399.800
			1000	X3 399.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	M 1/2" 	200	X3 505.200
			250	X3 505.250
			300	X3 505.300
			350	X3 505.350
			400	X3 505.400
			450	X3 505.450
			500	X3 505.500
			600	X3 505.600
			800	X3 505.800
			1000	X3 505.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Extended M 3/8" 	200	X3 447.200
			250	X3 447.250
			300	X3 447.300
			350	X3 447.350
			400	X3 447.400
			450	X3 447.450
			500	X3 447.500
			600	X3 447.600
			800	X3 447.800
			1000	X3 447.1000
DN10	M 3/8" compression connection Ø 10 nut and ring 3 pieces 	Extended M 1/2" 	200	X3 362.200
			250	X3 362.250
			300	X3 362.300
			350	X3 362.350
			400	X3 362.400
			450	X3 362.450
			500	X3 362.500
			600	X3 362.600
			800	X3 362.800
			1000	X3 362.1000
DN10	Revolving M 1/2" elbow R.O. 90°  	F 1/2" 	200	X3 474.200
			250	X3 474.250
			300	X3 474.300
			350	X3 474.350
			400	X3 474.400
			450	X3 474.450
			500	X3 474.500
			600	X3 474.600
			800	X3 474.800
			1000	X3 474.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Revolving M 1/2" elbow R.O. 90° 	M 1/2" 	200	X3 516.200
			250	X3 516.250
			300	X3 516.300
			350	X3 516.350
			400	X3 516.400
			450	X3 516.450
			500	X3 516.500
			600	X3 516.600
			800	X3 516.800
			1000	X3 516.1000
DN10	Revolving F 1/2" elbow R.O. 90° 	F 3/4" 	200	X3 517.200
			250	X3 517.250
			300	X3 517.300
			350	X3 517.350
			400	X3 517.400
			450	X3 517.450
			500	X3 517.500
			600	X3 517.600
			800	X3 517.800
			1000	X3 517.1000
DN10	Revolving F 1/2" elbow R.O. 90° 	M 3/4" 	200	X3 518.200
			250	X3 518.250
			300	X3 518.300
			350	X3 518.350
			400	X3 518.400
			450	X3 518.450
			500	X3 518.500
			600	X3 518.600
			800	X3 518.800
			1000	X3 518.1000
DN10	Elbow F 3/8" 	F 3/8" 	200	X3 311.200
			250	X3 311.250
			300	X3 311.300
			350	X3 311.350
			400	X3 311.400
			450	X3 311.450
			500	X3 311.500
			600	X3 311.600
			800	X3 311.800
			1000	X3 311.1000
DN10	Elbow F 3/8" 	F 1/2" 	200	X3 302.200
			250	X3 302.250
			300	X3 302.300
			350	X3 302.350
			400	X3 302.400
			450	X3 302.450
			500	X3 302.500
			600	X3 302.600
			800	X3 302.800
			1000	X3 302.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Elbow F 3/8" 	M 3/8" 	200	X3 519.200
			250	X3 519.250
			300	X3 519.300
			350	X3 519.350
			400	X3 519.400
			450	X3 519.450
			500	X3 519.500
			600	X3 519.600
			800	X3 519.800
			1000	X3 519.1000
DN10	Elbow F 3/8" 	M 1/2" 	200	X3 357.200
			250	X3 357.250
			300	X3 357.300
			350	X3 357.350
			400	X3 357.400
			450	X3 357.450
			500	X3 357.500
			600	X3.357.600
			800	X3 357.800
			1000	X3 357.1000
DN10	Elbow F 1/2" 	F 3/8" 	200	X3 416.200
			250	X3 416.250
			300	X3 416.300
			350	X3 416.350
			400	X3 416.400
			450	X3 416.450
			500	X3 416.500
			600	X3 416.600
			800	X3 416.800
			1000	X3 416.1000
DN10	Elbow F 1/2" 	F 1/2" 	200	X3 329.200
			250	X3 329.250
			300	X3 329.300
			350	X3 329.350
			400	X3 329.400
			450	X3 329.450
			500	X3 329.500
			600	X3.329.600
			800	X3 329.800
			1000	X3 329.1000
DN10	Elbow F 1/2" 	M 3/8" 	200	X3 520.200
			250	X3 520.250
			300	X3 520.300
			350	X3 520.350
			400	X3 520.400
			450	X3 520.450
			500	X3 520.500
			600	X3.520.600
			800	X3 520.800
			1000	X3 520.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Elbow F 1/2" 	M 1/2" 	200	X3 316.200
			250	X3 316.250
			300	X3 316.300
			350	X3 316.350
			400	X3 316.400
			450	X3 316.450
			500	X3 316.500
			600	X3 316.600
			800	X3 316.800
			1000	X3 316.1000
DN10	Elbow F 3/4" 	F 1/2" 	200	X3 354.200
			250	X3 354.250
			300	X3 354.300
			350	X3 354.350
			400	X3 354.400
			450	X3 354.450
			500	X3 354.500
			600	X3.354.600
			800	X3 354.800
			1000	X3 354.1000
DN10	Elbow F 3/4" 	F 3/4" 	200	X3 330.200
			250	X3 330.250
			300	X3 330.300
			350	X3 330.350
			400	X3 330.400
			450	X3 330.450
			500	X3 330.500
			600	X3 330.600
			800	X3 330.800
			1000	X3 330.1000
DN10	Elbow F 3/4" 	M 1/2" 	200	X3 332.200
			250	X3 332.250
			300	X3 332.300
			350	X3 332.350
			400	X3 332.400
			450	X3 332.450
			500	X3 332.500
			600	X3.332.600
			800	X3 332.800
			1000	X3 332.1000
DN10	Elbow F 3/4" 	M 3/4" 	200	X3 360.200
			250	X3 360.250
			300	X3 360.300
			350	X3 360.350
			400	X3 360.400
			450	X3 360.450
			500	X3 360.500
			600	X3.360.600
			800	X3 360.800
			1000	X3 360.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN10 Series

DN	Fitting	Fitting	Length mm	code
DN10	Quick connection Ø 10 	F 3/8" 	200	X3 501.200
			250	X3 501.250
			300	X3 501.300
			350	X3 501.350
			400	X3 501.400
			450	X3 501.450
			500	X3 501.500
			600	X3 501.600
			800	X3 501.800
			1000	X3 501.1000
DN10	Quick connection Ø 10 	F 1/2" 	200	X3 499.200
			250	X3 499.250
			300	X3 499.300
			350	X3 499.350
			400	X3 499.400
			450	X3 499.450
			500	X3 499.500
			600	X3 499.600
			800	X3 499.800
			1000	X3 499.1000
DN10	Quick connection Ø 10 	M 3/8" 	200	X3 452.200
			250	X3 452.250
			300	X3 452.300
			350	X3 452.350
			400	X3 452.400
			450	X3 452.450
			500	X3 452.500
			600	X3 452.600
			800	X3 452.800
			1000	X3 452.1000
DN10	Quick connection Ø 10 	M 1/2" 	200	X3 522.200
			250	X3 522.250
			300	X3 522.300
			350	X3 522.350
			400	X3 522.400
			450	X3 522.450
			500	X3 522.500
			600	X3 522.600
			800	X3 522.800
			1000	X3 522.1000
DN10	Quick connection Ø 10 	Quick connection Ø 10 	200	X3 498.200
			250	X3 498.250
			300	X3 498.300
			350	X3 498.350
			400	X3 498.400
			450	X3 498.450
			500	X3 498.500
			600	X3 498.600
			800	X3 498.800
			1000	X3 498.1000




Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series



Technical data:
For hydro-sanitary use only
Operating temperature range:
From 5° C to max 90 ° C
Max operating pressure 10 bar
Internal liner made by EPDM rubber Ø 12,5
External Ø 17
AISI 304 stainless steel braiding
Minimum guarantee coating 95%
Stainless steel sleeves


G= inserted gasket on request

DN	Fitting	Fitting	Length mm	code
DN13			200	X4 300.200
			250	X4 300.250
			300	X4 300.300
			350	X4 300.350
			400	X4 300.400
			500	X4.300 500
			1000	X4 300.1000
			1500	X4 300.1500
			2000	X4 300.2000
DN13			200	X4 303.200
			250	X4 303.250
			300	X4 303.300
			350	X4 303.350
			400	X4 303.400
			500	X4.303 500
			1000	X4 303.1000
			1500	X4 303.1500
			2000	X4 303.2000
DN13			200	X4 309.200
			250	X4 309.250
			300	X4 309.300
			350	X4 309.350
			400	X4 309.400
			500	X4.309 500
			1000	X4 309.1000
			1500	X4 309.1500
			2000	X4 309.2000
DN13			200	X4 328.200
			250	X4 328.250
			300	X4 328.300
			350	X4 328.350
			400	X4 328.400
			500	X4.328 500
			1000	X4 328.1000
			1500	X4 328.1500
			2000	X4 328.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series

DN	Fitting	Fitting	Length mm	code
DN13	 M 1/2"	 F 1/2"	200	X4 305.200
			250	X4 305.250
			300	X4 305.300
			350	X4 305.350
			400	X4 305.400
			500	X4.305 500
			1000	X4 305.1000
			1500	X4 305.1500
			2000	X4 305.2000
DN13	 M 1/2"	 F 3/4"	200	X4 310.200
			250	X4 310.250
			300	X4 310.300
			350	X4 310.350
			400	X4 310.400
			500	X4.310 500
			1000	X4 310.1000
			1500	X4 310.1500
			2000	X4 310.2000
DN13	 F 1/2"	 Elbow F 1/2"	200	X4 329.200
			250	X4 329.250
			300	X4 329.300
			350	X4 329.350
			400	X4 329.400
			500	X4.329 500
			1000	X4 329.1000
			1500	X4 329.1500
			2000	X4 329.2000
DN13	 F 1/2"	 Elbow F 3/4"	200	X4 354.200
			250	X4 354.250
			300	X4 354.300
			350	X4 354.350
			400	X4 354.400
			500	X4.354 500
			1000	X4 354.1000
			1500	X4 354.1500
			2000	X4 354.2000
DN13	 F 3/4"	 Elbow F 3/4"	200	X4 330.200
			250	X4 330.250
			300	X4 330.300
			350	X4 330.350
			400	X4 330.400
			500	X4.330 500
			1000	X4 330.1000
			1500	X4 330.1500
			2000	X4 330.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Flexible hoses for water connection

Stainless steel DN13 Series

DN	Fitting	Fitting	Length mm	code
DN13			200	X4 316.200
			250	X4 316.250
			300	X4 316.300
			350	X4 316.350
			400	X4 316.400
			500	X4.316 500
			1000	X4 316.1000
			1500	X4 316.1500
			2000	X4 316.2000
DN13			200	X4 322.200
			250	X4 322.250
			300	X4 322.300
			350	X4 322.350
			400	X4 322.400
			500	X4.322 500
			1000	X4 322.1000
			1500	X4 322.1500
			2000	X4 322.2000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses

Antivibration flexible hoses (galvanized stainless steel hoses)



*Antivibration flexible hose for low pressure installation
(pumps, autoclaves, radiators, heating and conditioning
systems)*

Technical data:

Atoxic EPDM liner suitable for drinking water and not
Corrosive liquids

Operating temperature range:

From 5° C to max 90° C

Braiding:

Galvanized steel

Nickel plated or raw brass connectors

Connectors Series: M/F or F/F

Aluminium sleeves

Fitting	Fitting	Length mm	code
 M 1/2"	 F 1/2"	300	AV 001.300
		400	AV 001.400
		500	AV 001.500
		600	AV 001.600
		700	AV 001.700
		800	AV 001.800
		1000	AV 001.1000
 M 3/4"	 F 3/4"	300	AV 002.300
		400	AV 002.400
		500	AV 002.500
		600	AV 002.600
		700	AV 002.700
		800	AV 002.800
		1000	AV 002.1000
 M 1"	 F 1"	300	AV 003.300
		400	AV 003.400
		500	AV 003.500
		600	AV 003.600
		700	AV 003.700
		800	AV 003.800
		1000	AV 003.1000
 M 1" 1/4	 F 1" 1/4	300	AV 004.300
		400	AV 004.400
		500	AV 004.500
		600	AV 004.600
		700	AV 004.700
		800	AV 004.800
		1000	AV 004.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses (galvanized stainless-steel hoses)

Antivibration flexible hoses (galvanized stainless-steel hoses)

Fitting	Fitting	Length mm	code
 M 1" ½	 F 1" ½	300	AV 005.300
		400	AV 005.400
		500	AV 005.500
		600	AV 005.600
		700	AV 005.700
		800	AV 005.800
		1000	AV 005.1000
 M 2"	 F 2"	300	AV 007.300
		400	AV 007.400
		500	AV 007.500
		600	AV 007.600
		700	AV 007.700
		800	AV 007.800
		1000	AV 007.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses

Antivibration flexible hoses (stainless steel hoses)



*Antivibration flexible hose for low pressure installation
(pumps, autoclaves, radiators, heating and conditioning
systems)*

Technical data:

Atoxic EPDM liner suitable for drinking water and not
Corrosive liquids

Operating temperature range:
From 5° C to max 90° C

Braiding:

Stainless steel

Nickel plated or raw brass connectors

Connectors Series: M/F or F/F

Stainless steel sleeves

Fitting	Fitting	Length mm	code
 M 1/2"	 F 1/2"	300	AV 001I.300
		400	AV 001I.400
		500	AV 001I.500
		600	AV 001I.600
		700	AV 001I.700
		800	AV 001I.800
		1000	AV 001I.1000
 M 3/4"	 F 3/4"	300	AV 002I.300
		400	AV 002I.400
		500	AV 002I.500
		600	AV 002I.600
		700	AV 002I.700
		800	AV 002I.800
		1000	AV 002I.1000
 M 1"	 F 1"	300	AV 003I.300
		400	AV 003I.400
		500	AV 003I.500
		600	AV 003I.600
		700	AV 003I.700
		800	AV 003I.800
		1000	AV 003I.1000
 M 1" 1/4	 F 1" 1/4	300	AV 004I.300
		400	AV 004I.400
		500	AV 004I.500
		600	AV 004I.600
		700	AV 004I.700
		800	AV 004I.800
		1000	AV 004I.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Antivibration Flexible hoses (galvanized stainless steel hoses)

Antivibration flexible hoses (galvanized stainless steel hoses)

Fitting	Fitting	Length mm	code
M 1" ½ 	F 1" ½ 	300	AV 005I.300
		400	AV 005I.400
		500	AV 005I.500
		600	AV 005I.600
		700	AV 005I.700
		800	AV 005I.800
		1000	AV 005I.1000
M 2" 	F 2" 	300	AV 007I.300
		400	AV 007I.400
		500	AV 007I.500
		600	AV 007I.600
		700	AV 007I.700
		800	AV 007I.800
		1000	AV 007I.1000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

Revolving Flex

Technical data:

Silver shower hose



Fitting	Fitting	Length mm	Code
F ½" 	F ½" conical 	1000	AO 6347.1000
		1200	AO 6347.1200
		1500	AO 6347.1500
		1750	AO 6347.1750
		2000	AO 6347.2000
F ½" conical 	Revolving F ½" conical 	1000	AO 6754.1000
		1200	AO 6754.1200
		1500	AO 6754.1500
		1750	AO 6754.1750
		2000	AO 6754.2000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it





Shower hoses

Spring Flex

Technical data:

Patented shower hose Ø 13
Made by AISI 302 stainless steel
Conforms to EN 1113



Fitting	Fitting	Length mm	Code
 F 1/2"	 Revolving F 1/2" conical	1200	SPRINGF12.1200
		1500	SPRINGF12.1500
		2000	SPRINGF12.2000
 Revolving M 15x1 for pull out shower	 Revolving F 1/2" conical	1200	SPRINGMG151.1200
		1500	SPRINGMG151.1500
		2000	SPRINGMG151.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

Spiro Flex

Technical data:

Spiro flex shower hose
Approved KTW-C



Fitting	Fitting	Length mm	Code
 F 1/2"	 F 1/2" conical	1000	SF 6347.1000
		1200	SF 6347.1200
		1500	SF 6347.1500
		1750	SF 6347.1750
		2000	SF 6347.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Shower hoses

DocciaLux

Technical data:

DocciaLux shower hose



Fitting	Fitting	Length mm	Code
 F 1/2"	 F 1/2" conical	1000	CR 6347.1000
		1200	CR 6347.1200
		1500	CR 6347.1500
		1750	CR 6347.1750
		2000	CR 6347.2000
 F 1/2" conical	 Revolving F 1/2" conical	1000	CR 6754.1000
		1200	CR 6754.1200
		1500	CR 6754.1500
		1750	CR 6754.1750
		2000	CR 6754.2000



Stainless steel and nylon flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Shower hoses

Shower hose

Technical data:

Stainless steel double-lock shower hose (SH code)
Stainless steel double-lock extensible shower hose (SHE code)
Conforms to EN 1113 ACS approved



Fitting	Fitting	Length mm	Code
F ½" 	F ½" conical 	1000	SH 6347.1000
		1200	SH 6347.1200
		1500	SH 6347.1500
		1750	SH 6347.1750
		2000	SH 6347.2000
F ½" conical 	F ½" conical 	1000-2000	SHE 6347.1500



Stainless steel and nylon flexible hoses


Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiono (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Kitchen hoses

Nylon DN8 Series

Technical data:



Internal Ø 8
External Ø 12
Nylon braiding coating Ø 0,25 mm
Colour to be specified:
White (B)
Black (N)
Gray (G)
Stainless steel sleeves


The first letter indicates the colour (i.e. N=black)

DN	Fitting	Fitting	Length mm	code
DN8			800	(N)2 301.800
			900	(N)2 301.900
			1000	(N)2 301.1000
			1200	(N)2 301.1200
			1500	(N)2 301.1500
			1800	(N)2 301.1800
			2000	(N)2 301.2000
DN8			800	(N)2 300.800
			900	(N)2 300.900
			1000	(N)2 300.1000
			1200	(N)2 300.1200
			1500	(N)2 300.1500
			1800	(N)2 300.1800
			2000	(N)2 300.2000
DN8			800	(N)2 379.800
			900	(N)2 379.900
			1000	(N)2 379.1000
			1200	(N)2 379.1200
			1500	(N)2 379.1500
			1800	(N)2 379.1800
			2000	(N)2 379.2000
DN8			800	(N)2 380.800
			900	(N)2 380.900
			1000	(N)2 380.1000
			1200	(N)2 380.1200
			1500	(N)2 380.1500
			1800	(N)2 380.1800
			2000	(N)2 380.2000
DN8			800	(N)2 692.800
			900	(N)2 692.900
			1000	(N)2 692.1000
			1200	(N)2 692.1200
			1500	(N)2 692.1500
			1800	(N)2 692.1800
			2000	(N)2 692.2000



Stainless steel
and nylon
flexible hoses

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it




Kitchen hoses

Nylon DN8 Series

The first letter indicates the colour (i.e. N=black)

DN	Fitting	Fitting	Length mm	code
DN8	 F 1/2" conical	 M 15x1	800	(N)2 337.800
			900	(N)2 337.900
			1000	(N)2 337.1000
			1200	(N)2 337.1200
			1500	(N)2 337.1500
			1800	(N)2 337.1800
			2000	(N)2 337.2000
DN8	 F 1/2" conical	 Revolving M 15x1	800	(N)2 339.800
			900	(N)2 339.900
			1000	(N)2 339.1000
			1200	(N)2 339.1200
			1500	(N)2 339.1500
			1800	(N)2 339.1800
			2000	(N)2 339.2000
DN8	 Twist: revolving and jointed conical F 1/2"	 F 1/2"	800	(N)2 432.800
			900	(N)2 432.900
			1000	(N)2 432.1000
			1200	(N)2 432.1200
			1500	(N)2 432.1500
			1800	(N)2 432.1800
			2000	(N)2 432.2000
DN8	 Twist: revolving and jointed conical F 1/2"	 M 15x1	800	(N)2 389.800
			900	(N)2 389.900
			1000	(N)2 389.1000
			1200	(N)2 389.1200
			1500	(N)2 389.1500
			1800	(N)2 389.1800
			2000	(N)2 389.2000
DN8	 Twist: revolving and jointed conical F 1/2"	 Revolving M 15x1	800	(N)2 433.800
			900	(N)2 433.900
			1000	(N)2 433.1000
			1200	(N)2 433.1200
			1500	(N)2 433.1500
			1800	(N)2 433.1800
			2000	(N)2 433.2000





**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Gas hoses

Gas hoses for indoor appliances EN 14800

Technical data:

Hose: Stainless steel AISI 304

Male fitting: Stainless steel AISI 303, thread as per EN 14800 standard

Ferrules: Stainless steel AISI 303, seal in compliance with EN 14800 standard

Nut: Stainless steel AISI 303 thread conform to EN 14800 standard

Braid: stainless steel AISI 304, wire Ø 0.25 mm, 4 wires for each group, for total of 96 wires

Protective cover: Yellow PVC

Gasket: nitrite rubber as per EN 549 standard

Stainless steel hose made by a metallic braid and an external coating, the ideal solution for connecting gas household appliance (stoves, etc.) with nominal heat input not exceeding 35 kw to gas supply lines. This hose is manufactured in compliance with the European standard *EN 14800* and carries the *CE* mark.

The external plastic coating aims at protecting the hose from potential damages caused by the surrounding environment.



Fitting	Fitting	Length mm	Code
Revolving F ½" 	Revolving F ½" 	500	FLEGASEU.500
		1000	FLEGASEU.1000
		1250	FLEGASEU.1250
		1500	FLEGASEU.1500
		2000	FLEGASEU.2000
Revolving F ½" 	M ½" 	500	FLEGASMEU.500
		1000	FLEGASMEU.1000
		1250	FLEGASMEU.1250
		1500	FLEGASMEU.1500
		2000	FLEGASMEU.2000



**Stainless steel
and nylon
flexible hoses**

Cacciatori
Via Alle Fabbriche, 7
I-28010 Nebbiuno (No)
Tel +39 0322 58588
Fax +39 0322 58588
email: info@ilariacacciatori.it
email: info@fcitaliaonline.it



Gas hoses

GPL Gas hoses for outdoor appliances

Technical data:

Gas hose with handle for outdoor appliances.

Galvanized steel braided hose in compliance with IMQ UNI CIG 7140 (expiration 5 years)

Threaded nut 20x14 SF-h 16 for connection on LPG cylinder



Fitting	Fitting	Length mm	Code
 Revolving F ½"	 Revolving F ½"	500	FLEXGAS.500
		700	FLEXGAS.700
		1000	FLEXGAS.1000
		1500	FLEXGAS.1500
		2000	FLEXGAS.2000